

**THERAPEUSIS OF  
INTERNAL DISEASES.  
GENERAL INDEX**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649720163

Therapeutics of Internal Diseases. General Index by Frederick Forchheimer

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.  
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

[www.triestepublishing.com](http://www.triestepublishing.com)

**FREDERICK FORCHHEIMER**

**THERAPEUSIS OF  
INTERNAL DISEASES.  
GENERAL INDEX**



**THERAPEUSIS OF  
INTERNAL DISEASES**

# THERAPEUSIS OF INTERNAL DISEASES

EDITED BY

FREDERICK FORCHHEIMER, M.D., Sc.D. (Harv.)

Professor of Medicine, Ohio-Miami Medical College, University of Cincinnati

GENERAL INDEX



NEW YORK AND LONDON  
D. APPLETON AND COMPANY

1918

MARVARD UNIVERSITY  
SCHOOL OF MEDICINE DEPARTMENT OF PUBLIC HEALTH

Gift of Dr. B. P. Strong  
15 DEC 1938  
22.A.13.1

COPYRIGHT, 1913, BY  
D. APPLETON AND COMPANY

Printed in the United States of America

## GENERAL INDEX

- Aaron bandage**, iii. 248.
- ABBÉ, DR. ROBERT**, method of using radium tubes suggested by, i. 464; operation by, for relief of trigeminal neuralgia, iv. 354; report by, of sarcoma of the eyelid successfully treated with radium, i. 486.
- ABDOMEN**, massage of, i. 323.
- Abdominal binder**, use of, for relief of constipation associated with visceroptosis and intestinal atony, iv. 566.
- Abdominal massage**. See *Massage*.
- Abdominal supporter**, use of, in prolapse of liver, iii. 289; in visceroptosis, iii. 247.
- ABDOMINAL VISCERA**, effect of massage upon, i. 297.
- ABDOMINAL WALLS**, measures for increasing tone of, in prolapse of liver, iii. 289.
- Abiutions, cold**, to chest daily, in bronchitis due to chronic myocardial insufficiency, iii. 738.
- ABORTION**, inducement of, in eclampsia of pregnancy, iv. 83.
- Abortive treatment of syphilis**, ii. 376.
- ABRAM**, inhalation of chloroform recommended by, for relief of dyspnea due to pressure by a mediastinal tumor, iii. 503.
- ABRAMS**, double current method of colonic flushing suggested by, in intestinal auto-intoxication, ii. 674; on use of purgatives in treatment of intestinal auto-intoxication, ii. 671.
- ABSCESS**, accompanying acute peritonitis, iii. 43; cerebral, see *Cerebral abscess*; of colon, mesentery, and liver, electrotherapeutics for relief of, i. 405; extradural, operative measures for relief of, iv. 422; of infiltration, iv. 173; of liver, iii. 290; of liver, as complication of influenza, ii. 190; of lungs, see *Pulmonary abscess*; perinephritic, complicating tuberculous kidney, iv. 118; periurethral, complicating acute gonorrhea, iv. 148; prostatic, as cause of painful urination in acute urethral gonorrhea, iv. 141; prostatic, complicating acute gonorrhea, iv. 149; pretracheal, as a complication of diphtheria, ii. 279; pulmonary, see *Pulmonary abscess*; retropharyngeal, see *Retropharyngeal abscess*; of spleen, operation for, in malaria, iv. 728; tuberculous, as a complication of tuberculosis, ii. 509; of urethral glands, complicating acute gonorrhea, iv. 148.
- ABSCESSSES**, as a cause of pain in bladder, iv. 123; radiant light and heat in treatment of, i. 450.
- "Abscess fixation,"** in treatment of pneumonia, ii. 246.
- ABSORPTION**, of exudates in pleuritis, iii. 457; of fibrin in pleuritis, iii. 458; of fluid in pleuritis, iii. 458; of gases in pleuritis, iii. 459.
- "ACCELERATED REACTION,"** i. 134.
- ACCELERATOR HEART FIBERS**, iii. 538.
- ACCESSORIUS SPASM**, iv. 655.
- Acetanilid**, use of, in migraine, iv. 592; objections to, in influenza, ii. 187; to reduce temperature in acute cerebral meningitis, iv. 372; for relief of headache in neurasthenia, iv. 566; for relief of headache due to sunstroke, iv. 679; for relief of neuralgic headache, iv. 599; for relief of pain in acute rheumatism, ii. 300; for relief of pain in neuralgia, iv. 339; for relief of pain in neuritis, iv. 286; for relief of pain in pyelitis, iv. 88; for relief of pain in Rocky Mountain fever, ii. 565.
- Acetanilid, alcoholic solution of**, applied by tampon in atrophic rhinitis, iii. 332.
- Acetate of ammonia**. See *Ammonium acetate*.
- Acetate of potassium**. See *Potassium acetate*.
- Acetate of sodium**. See *Sodium acetate*.



- Acetates**, use of, as diuretics in acute nephritis, iv. 58.
- ACETONE BODIES**, tests for, ii. 732.
- Acetozone**, destruction of cholera germs by, iv. 829.
- Acetphenetidn**. *See* Phenacetin.
- Acetyl atoxyl**. *See* Arsasetin
- ACETYSALICYLIC ACID**. *See* Aspirin.
- ACHALME**, report by, of organism found in acute rheumatism, ii. 293.
- ACHILLES JERK**. *See* Tendon reflex.
- ACHONDROPLASIA**, ii. 812.
- ACHYLIA GASTRICA AND SUBACIDITY**, iii. 144.
- ACIDOSIS, DIABETIC**. *See* Diabetic acidosis.
- ACIDS**, overindulgence in, a cause of gastric hyperacidity, iii. 77.
- Acids**, use of, to change reaction of urine in tuberculous kidney, iv. 117.
- ACLAND**, tabulation by, of dates for appearance of eruptions and complications following vaccination, ii. 80.
- ACNE**, radiant light and heat in treatment of, i. 459; vaccine treatment for, i. 145; X-ray therapy for relief of, i. 529.
- ACNE, INDURATED**, treatment of, by electricity conjoined with X-ray, i. 406.
- ACNE, KELOID**, radium therapy for relief of, i. 475; X-ray therapy for relief of, i. 531.
- ACNE, ROSACEA**, radium in treatment of, i. 474; X-ray treatment of, i. 530.
- ACNE VULGARIS**, radium in treatment of, i. 475.
- Aconite**, use of, in active congestion of lungs, iii. 406; in acute nasopharyngitis, iii. 31; in acute peritonitis, iii. 43; in acute tonsillitis, iii. 41; in cerebral hemorrhage, iv. 391; to control epistaxis, iii. 336; effect produced by, on pulmonary circulation, iii. 405; as an expectorant in acute bronchitis, iii. 360; in gonorrhoeal epididymitis, iv. 151; in headache from car disease, iv. 603; in migraine, iv. 593; in pneumonia with abnormally high blood pressure, ii. 255; for relief of cardiac palpitation in neurasthenia, iv. 568; in stomatitis catarrhalis, iii. 10.
- Aconite root**, tincture of, use of, in acute laryngitis, iii. 338.
- ACONITIN**, poisoning by, i. 764; poisonous action of, i. 765; poisonous dose of, i. 765; properties of, i. 765; treatment of poisoning by, i. 766.
- Aconitin**, use of, for relief of pain in neuralgia, iv. 340; in tetanus, ii. 348.
- ACQUIRED HYDROCEPHALUS**. *See* Hydrocephalus.
- ACROMEGALY**, relation between hyperactivity of the hypophysis and, i. 102; therapeutic use of the hypophysis for relief of, i. 107; views regarding cause of, iv. 442.
- ACTINIUM**, discovery of, i. 460.
- ACTINOMYCES BOVIS**, ii. 359.
- ACTINOMYCOSIS**, ii. 359; association of empyema with, iii. 489; organism causing, ii. 359; treatment of, ii. 360; vaccine treatment for relief of, i. 147.
- Activity**, return to, in neurasthenia and psychasthenia, iv. 552.
- Actual cautery**. *See* Cautery.
- "ACUTE SINUS INFECTION"**, complications due to, iii. 333.
- ADAMS-STOKES SYNDROME**. *See* Heart block.
- ADDISON'S DISEASE**, iii. 882; circulatory disturbances in, iii. 885; diet in, iii. 884; gastrointestinal symptoms in, iii. 884; nervous symptoms in, iii. 885; results of Koch's tuberculin in treatment of, iii. 883; results of organotherapy for, iii. 882; suprarenal insufficiency in, i. 88, 96; transplantation for relief of, iii. 883.
- Addison's pill**, iii. 286.
- Adenectomy**, for adenoid vegetations, iii. 37; for hypertrophy of pharyngeal tonsil, iii. 36; technique of, iii. 36.
- ADENITIS**, accompanying glandular fever, ii. 576; complicating acute gonorrhoea, iv. 149.
- ADENITIS, CERVICAL**, as a complication of diphtheria, ii. 277; as a complication of scarlet fever, ii. 131.
- ADENITIS, TUBERCULOUS**, effect of radiotherapy upon, iii. 848; radiant heat and light in treatment of, i. 452; X-ray therapy in treatment of, i. 544; X-ray therapy and electricity conjoined in treatment of, i. 401.
- ADENOID VEGETATIONS**, iii. 33, 37.
- ADENOIDS**, association of, with enuresis, iv. 130; removal of, a factor in prevention of acute rheumatism, ii. 296; removal

- of, necessary, in chronic rhinitis, iii. 328; removal of, as prophylactic measure against bronchitis, iii. 352; removal of, as prophylactic measure against tuberculosis of mediastinal lymph nodes, iii. 506.
- ADENOIDS, DISEASED,** associated with chronic nasopharyngitis, iii. 32, 33; removal of, iii. 33, 36, 37.
- ADHESIONS,** as cause of chronic dilatation of stomach, iii. 179.
- Adhesive plaster.** *See* Plaster.
- ADIRONDACK COTTAGE SANATORIUM,** plan of admission to, ii. 471.
- Adnephria.** *See* Epinephrin.
- ADOLESCENCE,** prophylaxis against the neuroses in, iv. 522.
- Adonis vernalis, fluid extract of,** use of, combined with sodium bromid for relief of restlessness in neurasthenia, iv. 567.
- Adrenal gland, extract of,** use of, in Addison's disease, iii. 882.
- Adrenalin,** use of, in acute dilatation of stomach, iii. 174, 175; in acute nasopharyngitis, iii. 32; in acute rhinitis, iii. 327; in acute suppurative inflammation of nasal sinuses, iii. 333; in acute uvulitis, iii. 35; in asthenic form of measles, ii. 153; in carcinomatous stenosis of esophagus, iii. 55; in cardiac toxemias of pneumonia, ii. 252; in collapse due to thoracentesis, iii. 482; contraindicated in acute pulmonary edema, iv. 55; for control of gastric hemorrhage, iii. 113; for control of hemorrhage in tuberculosis, ii. 500; for control of hemorrhage in typhoid fever, ii. 20; in endemic hematuria, iv. 784; in hematuria, iv. 4; in hemophilia, iii. 867, 870; in hypertrophy of pharyngeal tonsil, iii. 35; by hypodermic injection in bronchial asthma, iii. 387; by hypodermic injection in cardiac weakness of scarlet fever, ii. 127; by instillation in acute rhinitis of young children, iii. 328; by intramuscular injection in collapse associated with renal colic, iv. 106; by intravenous injection a cause of experimental pulmonary edema, iv. 55; by intravenous injection in post-hemorrhagic anemia, iii. 810; for lavage of stomach in gastric hemorrhage, ii. 155; necessity for caution in, for acute rhinitis, iii. 328; in neurasthenia with vasomotor relaxation, iv. 559; objections to, for pulmonary edema occurring during thoracentesis, iii. 480; in paralytic ileus, iii. 238; in pulmonary edema with low blood pressure, iii. 410; for relief of dyspnea in chronic pulmonary emphysema, iii. 438; in septicopyemia, ii. 291; as spray during adenectomy, iii. 36; as spray in adenoid vegetations, iii. 38; as spray in bronchial asthma, iii. 386; as spray, for "colds" accompanying tuberculosis, ii. 508; as spray in edematous laryngitis, iii. 341; as spray in hay fever, iii. 391; as spray in hemorrhagic form of measles, ii. 155; as spray in otitis media complicating scarlet fever, ii. 131; to stimulate absorption of pleural exudate, iii. 482; on tampon for control of epistaxis, iii. 335; in tonsillectomy, iii. 45; in Vincent's angina for relief of pain in swallowing, iii. 65; *see also* Epinephrin.
- Adrenalin and eucain hydrochlorate,** use of, as spray for nasal passages, iii. 334.
- Adrenalin ointment,** use of, in hypertrophy of pharyngeal tonsil, iii. 35.
- ADRENALS,** disease of, iii. 882; relation between over-function of, and arteriosclerosis, iii. 757.
- Adrenin.** *See* Epinephrin.
- ADRIAN,** isolation of influenza bacillus by, ii. 190.
- Adrin.** *See* Epinephrin.
- ADSORPTION,** i. 22.
- ADULTS,** prophylaxis against the neuroses in, iv. 523.
- AEROPHAGIA,** associated with cardiac reflex neuroses, iii. 779; treatment of, iii. 780;
- Aerotherapy,** employment of, in chronic pulmonary emphysema, iii. 434.
- ÆSCULUS HIPPOCASTANUM.** *See* Horse-chestnut.
- ÆSCULUS PAVIA.** *See* Buckeye.
- AFEBRILE PNEUMONIA.** *See* Pneumonia, afebrile form of.
- AFFERENT HEART FIBERS,** iii. 530.
- Affusion, cold,** use of, in delirium tremens, ii. 606.
- AFRICAN MILLPEDES,** poisonous, iv. 686.
- AFRICAN POISON TEST,** iv. 695.
- Agar-agar,** use of, in chronic constipation, iii. 235; in constipation in arteriosclerosis, iii. 758; in constipation due to

- cardiac insufficiency, iii. 684; in constipation due to chronic myocardial insufficiency, iii. 740; in constipation accompanying tuberculosis, ii. 505.
- AGE METABOLISM**, i. 605.
- AGGLUTINATION REACTION**, value of, in diagnosis between typhoid and paratyphoid infections causing bacillary dysentery, ii. 642.
- AGGLUTININS**, action of, i. 131.
- AGMINATE FOLLICULITIS**, X-ray therapy for relief of, i. 533.
- AGRAMONTE**, on use of liquids in yellow fever, iv. 856.
- AGRAPHIA, MOTOR**, iv. 440.
- AGROSTEMMA GITRAGO**. *See* Corn cockle.
- AINHUM**, chiggers as a factor in causation of, iv. 696; removal of toe for, iv. 691.
- AIR**, artificial introduction of, into stomach, iii. 779; humidity of, i. 251.
- Air**, sterile, intrapleural injection of, to stimulate absorption of exudate, iii. 482.
- Air bath**. *See* Bath.
- AIR GULPING**, in angina pectoris, iii. 770, 771; in reflex neuroses of gastrointestinal disturbances, iii. 779.
- AITKEN**, on mortality from small-pox before and after vaccination, ii. 93.
- AKATAMA**, iv. 863.
- AKER LAMPONG**, iv. 694.
- ALBERS-SCHÖNBERG**, experiments by, on exposure to secondary radiation in deep X-ray therapy, i. 507; summary by, of action of X-ray on uterine fibroids, 555.
- Albolena**, liquid, use of, in chronic constipation, iii. 235.
- ALBUMIN IN SPUTUM**, method of examining for, in chronic bronchitis, iii. 710.
- ALBUMINOLYSINS**, nature of, i. 132.
- ALBUMINURIA**, significance of, as functional kidney test, iv. 23.
- Albumoses**, use of, as nutrient enemata in gastric ulcer, iii. 118.
- ALCOHOL**, action of, in diabetes, ii. 744, 757; action of, in obesity, ii. 805; as a cause of acute hemorrhagic superior poliomyelitis, iv. 406; as a cause of arteriosclerosis, iii. 755; as a cause of chronic gastritis, iii. 158; as a cause of chronic myocardial insufficiency, iii. 707, 729; as a cause of chronic rhinitis, iii. 328; as a cause of gastric hyperacidity, iii. 76; as a cause of leukoplakia, iii. 25; as a cause of reflex cardiac neuroses, iii. 786; contraindications to use of, in chancre of lips, mouth, or tongue, ii. 425; contraindications to use of, in gout, ii. 698; contraindications to use of, in intestinal autointoxication, ii. 677; contraindications to use of, in nephritis, iv. 44; contraindications to use of, in syphilis, ii. 369; danger of using, in acute infections with risk of nephritis, iv. 57; of doubtful value in acute vasomotor paralysis, iii. 753; as indirect cause of occupation neuroses, iv. 660, 661; influence of, on obesity, iii. 706; moderate use of, in chronic gonorrhoeal urethritis, iv. 153; moderate use of, in chronic interstitial nephritis, iv. 68; moderate use of, in spastic spinal paralysis, iv. 270; objections to, in nutrient enemata, for gastric ulcer, iii. 118; oxidation of, in body, ii. 783; prohibition of, during acute laryngitis, iii. 340; prohibition of, in acute urethral gonorrhoea, iv. 138; prohibition of, in aneurysm of cerebral arteries, iv. 457; prohibition of, in asthma, iii. 381; prohibition of, in cardiac insufficiency, iii. 687; prohibition of, in cerebral hyperemia, iv. 385; prohibition of, in chronic catarrhal jaundice, iii. 263; prohibition of, during chronic laryngitis, iii. 340; prohibition of, in chronic myocardial insufficiency due to obesity, iii. 727; prohibition of, in chronic myocardial insufficiency due to overstimulation, iii. 728; prohibition of, in chronic ophthalmoplegia, iv. 510; prohibition of, in chronic pharyngitis, iii. 33; prohibition of, in cirrhosis of liver, iii. 280; prohibition of, in exophthalmic goiter, iii. 897; prohibition of, in multiple neuritis due to alcoholism, iv. 322; prohibition of, in nephrolithiasis, iv. 109; prohibition of, in palpitation of heart in neurasthenia, iv. 567; prohibition of, in progressive paralysis of the insane, iv. 493; prohibition of, in pyelitis, iv. 88; prohibition of, for relief of tachycardia, iii. 787; restriction of, in angina pectoris, iii. 770; restriction of, in cardiac insufficiency, iii. 687; restriction of, in cholecystitis and cholelithiasis, iii. 271; restriction of, in