MUHLENBERGIA: A JOURNAL OF BOTANY. VOLUME 1, NUMBER 1-9

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649653164

Muhlenbergia: A Journal of Botany. Volume 1, Number 1-9 by A. A. Heller

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

A. A. HELLER

MUHLENBERGIA: A JOURNAL OF BOTANY. VOLUME 1, NUMBER 1-9



MUHLENBERGIA

Volume 1

A Journal of Botany

Edited and Published by A. A. Heller

LOS GATOS, CALIFORNIA 1900-1906 QK 1195

·

Volume 1

No. 1

MUHLENBERGIA

LANCASTER, PA., NOVEMBER 10, 1900.

[All unsigned articles in this journal are by the Editor, and the types of all new species described by him are deposited in his private herbarium, unless otherwise stated.]

SOME CHANGES IN NOMENCLATURE

This article is a continuation of the first pages of the Catalogue of North American plants, issued under this date. The bare citation without discussion in most cases is undesirable, but lack of time forbids a more extended treatment of the different species under consideration.

Sphaerostigma Nelsonii

Sphaerostigma minor Aven Nelson, Bull. Torr. Club, 26: 130. 1899; not S. campestre minor Small, 1896.

Taraxia taraxacifolia (Wats.)

Oenothera heterantha var. taraxacifolia Wats. Proc. Am. Acad. 8: 589. 1873.

Phyllodoce Breweri (A. Gray)

Bryanthus Breweri A. Gray, Proc. Am. Acad. 7: 367. 1867.

Phyllodoce Aleutica (Spreng.)

Menziesia Aleutica Syreng. Syst. 2: 202. 1825. Bryanthus Aleuticus A. Gray, Proc. Am. Acad. 7: 368. 1867. Tetragonanthus Brentonianus (Griseb.)

Halenia Brentoniana Griseb. in Hook. Fl. Bor. Am. 2; 68. 1834.

Tetragonanthus heterantha (Griseb.)

Halenia heterantha Griseb. in. Hook. Fl. Bor. Am. 2: 68, pl. 156 B. 1834.

Halenia deflexa var. heterantha Fernald, Rhodora, 1: 37. 1899.

Amsonia Texana (A. Gray)

Amsonia angustifolia var. Texana A. Gray, Syn. Fl. 2: Part 1, 81. 1878.

Macrosiphonia macrosiphon (Torr.)

Echiles macrosiphon Torr. Bot. Mex. Bound. 158. 1859. Macrosiphonia Berlandieri A. Gray, Syn. Fl. 2: Part 1, 83. 1878.

Vincetoxicum cynanchoides (Eugelm. & Gray)

Gonolobus cynanchoides Engelm. & Gray, Bost. Journ. Nat. Hist. 5: 251. 1845.

Vincetoxicum flavidulum (Chapm.)

Gonolobus flavidulus Chapm. Fl. S. U. S. 368. 1860.

Vincetoxicum hastulatum (A. Gray)

Lachnostoma hastulata A. Gray, Proc. Am. Acad. 11: 87. 1876.

Gonolobus hastulatus A. Gray, Proc. Am. Acad. 12: 78. 1876.

Vincetoxicum parviflorum (Tort.)

Lachnostoma? parviflorum Torr. Bot. Mex. Bound. 165. 1859.

Gonolobus parviflorus A. Gray, Proc. Am. Acad. 12: 77. 1876.

Vincetoxicum parvifolium (Torr.)

Gonolobus parvifolius Torr. Bot. Mex. Bound. 166. 1859.

Vincetoxicum pubiflorum (Dec.)

Chthamalia pubiflora Dec. in DC. Prod. 8: 605. 1844.
Gonolobus pubiflorus Engelm.; A. Gray, Proc. Am. Acad.
12: 77. 1876.

In the journal cited above, Dr. Gray credits Engelman with the publication of Gonolobus pubiflorus in Bost. Journ. Nat. Hist. 5: 252. 1845 (Plantae Lindheimerianae 44, re-paged). In that publication, under the description of Gonolobus cynanchoides, Engelman says: "From the description, there can be little doubt that this plant is a congener of Chthamalia biflora, and C. pubiflora, Decaisne, in DC. prodr., from which it differs in the glabrous corolla, etc.; but surely it cannot be separated from Gonolobus, as that genus is left by Decaisne." The writer can find nothing in the above sentence to indicate that Engelman published Gonolobus pubiflorus in it. Torrey is also credited with the use of the same combination in Bot. Mex. Bound. 165. What he actually says under Gonolobus biflorus, is that "C. (hthamalia) pubiflora, Decaisne, l. c. is Gonolobus prostratus of Elliott, but not of R. Brown." Apparently the species was first properly named under Gonolobus in 1876, as given in the above citation.

Vincetoxicum sagittifolium (A. Gray)

Gonolobus sagittifolius A. Gray, Proc. Am. Acad. 12: 77. 1876.

Vincetoxicum Wrightii (A. Gray)

Gonolobus biflorus var. Wrightii A. Gray, Proc. Am. Acad. 12: 78. 1876.

In this connection it may be well to again refer to the fact pointed out by the writer several years ago (Cont. Herb. F. & M. Coll. 1:79. 1895), that Rafinesque, and not Nuttall, is the author of the name Gonolobus biflorus. He published it in New Flora, 4:58. 1836. The name with Nuttall as its author was published by Decaisne in DC. Prod. 8:605. 1844, as a synonym of Chthamalia biflora. It is evident from comparison of the two descriptions, and from the type stations, that only one species was under consideration by the two authors, and that in all probability Rafinesque's description was taken from one of Nuttall's specimens.

Gymnosteris parvula (Rydb.)

Gilia parvula Rydb. Mem. N. Y. Bot. Gard. 1: 320. 1900.

Agastache occidentalis (Piper)

Vleckia occidentalis Piper, Erythea, 6: 31. 1898.

100

Agastache scrophulariaefolius mollis (Fernald)

Lophanthus scrophulariaefolius var. mollis Fernald, Rhodora, 1: 220. 1899.

Brittonastrum lanceolatum (A. Gray)

Cedronella cana var. lanceolata A. Gray, Syn. Fl. 2: Part

1, Ed. 2, 462. 1886.

Brittonastrum rupestre (Greene)

Cedronella rupestre Greene, Pittonia, 1: 164. 1888.

Hedeoma oblongifolia (A. Gray)

Hedeoma piperita var. oblongifolia A. Gray, Proc. Am. Acad.
8: 366.

Hedeoma thymoides var. oblongifolia A. Gray, Syn. Fl. 2: Part 1, 362. 1878.

Ramona pachystachya (A. Gray)

Audibertia incana var. pachystachya A. Gray, Syn. Fl. 2:

Ed. 2, Part 1, 461. 1886.

Audibertia pachystachya S. B. Parish, Erythea, 6: 91. 1898.

Elephantella attolens (A. Gray)

Pedicularis attolens A. Gray, Proc. Am. Acad. 7: 384. 1867.

Pentstemon Eastwoodlae

Pentstemon Utahensis Eastwood, Zoe, 4: 124. 1893; not
P. glaber var. Utahensis Wats. 1891.

Synthyris Bullii (Eaton)

Gymnandra Bullii Eaton; Eaton & Wright, N. A. Bot. 259.

1840.

Synthyris Houghtoniana Benth. in DC. Prodr. 10: 454. 1846.

Wulfenia Houghtoniana Greene, Erythea, 2: 83. 1894. Wulfenia Bullii Barnhart, Bull. Torr. Club, 26: 378. 1899.

Synthyris cordata (A. Gray)

Synthyris reniformis var. cordata A. Gray, Bot. Cal. 1: 571.

1876.

Synthyris rotundifolia var. cordata Syn. Fl. 2: Part 1, 285. 1878.

Wulfenia cordata Greene, Man. Bot. Bay Reg. 280. 1894.

Synthyris gymnocarpa (Aven Nelson)

Wulfenia gymnocarpa Aven Nelson, Bull. Torr. Club, 25: 282. 1898.

Synthyris major (Hook.)

Wulfenia reniformis var. major Hook. Journ. Bot. & Kew Gard. Misc. 5: 257. 1853. Wulfenia major Heller, Cat. N. A. Pl. 7. 1898.

Synthyris Wyomingensis (Aven Nelson)

Wulfenia Wyomingensis Aven Nelson, Bull. Torr. Club, 25: 281. 1898.

Tonella tenella (Benth.)

Collinsia tenella Benth. in DC. Prodr. 10: 593. 1846. Tonella collinsioides Nutt. as synonym in Benth. l. c.

Diapedium attenuatum (A. Gray)

Dicloptera brachiata var. attenuata A. Gray, Syn. Fl. 2: Part 1, 331. 1878.

Antennaria plantaginifolia petiolata (Fernald)

Antennaria plantaginea var. petiolata Fernald, Proc. Bost. . Soc. Nat. Hist. 28: 242. 1898.

Arnica Grayi

Arnica cordifolia var. eradiata A. Gray, Syn. Fl. 1: Part 2, 381. 1878; not A. angustifolia var. eradiata A. Gray, 1863.

Brauneria angustifolia (DC.)

Echinacea angustifolia DC. Prod. 5: 554. 1836. Brauneria Tennesseensis Beadle, Bot. Gaz. 25: 359. 1898.

Carduus bipinnatus (Eastwood)

Cnicus Drummondii var. bipinnatus Eastwood, Zoe, 4: 8. 1893.

Cnicus bipinnatus Eastwood, Proc. Cal. Acad. III. 1: 121. 1898.

Carduus calcareus (Jones)

Cnicus calcareus Jones, Proc. Cal. Acad. II. 5: 704. 1895.

Carduus ciliolatus (Henderson)

Circium undulatum ciliolatum Henderson, Bull. Torr. Club, 27: 348. 1900.

Carduus clavatus (Jones)

Cnicus clavatus Jones, Proc. Cal. Acad. II. 5: 704. 1895.

Carduus diffusus (Eastwood)

Cnicus Rothrockii var. diffusus Eastwood, Proc. Cal. Acad. II. 6: 303.

Cnicus diffusus Eastwood, Proc. Cal. Acad. III. 1: 121. 1898.

Carduus hesperius (Eastwood)

Cnicus Hesperius Eastwood, Proc. Cal. Acad. III. 1: 122. 1898.

Carduus nidulus (Jones)

Cnicus nidulus Jones, Proc. Cal. Acad. II. 5: 705. 1895.

Chrysothamnus appendiculatus (Eastwood)

Bigelovia graveolens appendiculata Eastwood, Proc. Cal. Acad. III. 1: 74. 1897.

Erigeron Cascadensis

Erigeron spatulifolius Howell, Fl. N. W. Am. 1: 317. 1900; not E. spathulifolius Rydb. Bull. Torr. Club, 26: 545. 1899.

The type of this species was collected by Thomas Howell "on rocky banks, Pansy Camp, Cascade mountains, Oregon."

Gaertneria bipinnatifida dubia (Eastwood)

Franseria bipinnatifida dubia Eastwood, Proc. Cal. Acad. III. 1: 117. 1898.

(Faertneria Chamissonis viscida (Eastwood)

Franseria Chamissonis viscida Eastwood, Proc. Cal. Acad. III. 1: 117. 1898.

Isocoma hirtella (A. Gray)

Linosyris hirtella A. Gray, Pl. Wright. 1: 95. 1852. Bigelovia Wrightii var. hirtella A. Gray, Syn. Fl. 1: Part 2, 142. 1878.

Lacinaria Helleri Porter

Liatris Helleri Porter, Bull. Torr. Club, 18: 147. 1891.

Lacinaria pilosa (Ait.)

Serratula pilosa Ait. Hort. Kew. 3: 138. 1789. Liatris graminifolia var. dubia A. Gray, Man. Ed. 2, 185. 1856. Lacinaria graminifolia pilosa Britton, Men. Torr. Club, 5:

314. 1894.