

**GRANULAR LIDS
AND CONTAGIOUS
DISEASES OF THE EYE**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649494200

Granular Lids and Contagious Diseases of the Eye by W. F. Mittendorf

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

W. F. MITTENDORF

**GRANULAR LIDS
AND CONTAGIOUS
DISEASES OF THE EYE**

REASONS FOR PRESCRIBING

Fairchild's Pepsin.

It is the most active, gives the greatest value for the price asked.

One grain will digest more albumen than will a grain of any other pepsin made. We do not care by whose test, what the proportions of albumen, water, and acid, only let the conditions be the same for all.

It is positively guaranteed to be permanent. It will not get soft or sticky, or deteriorate in value, because it is not a peptone. It is free from all the well-known characteristics of peptone. It is not made by a patented or pirated process.

If you prescribe pepsin in scale or powder, and it becomes sticky, you may be sure that it is not Fairchild's. Investigate the matter, place the blame where it belongs.

There are pepsins "made to sell" under the title of scales—products which are inferior and dissimilar to Fairchild's pepsin in scales. They are peptones made by a patented process, and sold under cover of a title first and properly used only by Fairchilds to describe their original true pepsin in the form of scales.

The druggist is told, "They are just as good as Fairchild's. If Fairchild's is not specified, put in mine." But claims and pretensions, however colossal, cannot make peptones permanent.

There is no soluble or peptone pepsin equal in activity to Fairchild's, none which will keep in all weathers and all conditions as Fairchild's will.

FAIRCHILD BROS. & FOSTER,
New York.

GRANULAR LIDS

— AND —

CONTAGIOUS DISEASES OF THE EYE.

LANE LIBRARY

W. F. MITTENDORF, M. D.,

*Ophthalmic Surgeon to the New York Eye and Ear Infirmary,
Bellevue Hospital Out-Door Department, Nursery
and Child's Hospital and the New York
Infant Asylum, etc., etc.*



1896
GEORGE S. DAVIS,
DESIGNED BY

S

YSA SBLI EMA I

Copyrighted by
GEORGE S. DAVIS,
1886.

168
1886

TABLE OF CONTENTS.

Methods of Examination and Means of Diagnosis,	1
Anatomy of the Conjunctiva,	9
Symptoms and Pathology of Conjunctivitis,	12
Causes of Conjunctivitis,	57
Treatment of Conjunctivitis,	76
Treatment of Acute Purulent Diseases of the Conjunctiva,	76
Nature of Granular Lids,	45
Treatment of Granular Lids,	94

INTRODUCTION.

The importance of an early diagnosis of contagious diseases of the eye is so evident that it cannot be over estimated. The fact is, that thousands of children in our public institutions have been suffering from conjunctival affections when their existence was not known to the officers in charge, and in many instances not even to the attending physician. It is especially in the chronic forms of conjunctival troubles, the onset of which is often very insidious, that the disease is overlooked or not recognized until its ravages have crippled the patient for the remainder of his life. Milder attacks of conjunctival disease predispose at the same time to acute purulent affections which so often destroy the eye.