GENERAL SPECIFICATIONS FOR HIGHWAY BRIDGE SUPERSTRUCTURE

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649395248

General Specifications for Highway Bridge Superstructure by Various

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

VARIOUS

GENERAL SPECIFICATIONS FOR HIGHWAY BRIDGE SUPERSTRUCTURE

Trieste

SPECIFICATIONS

BRIDGE OV

1AL

FOR

2

3

20

ťo

517

Ή

GENERAL SPECIFICATIONS

FOR

Highway Bridge Superstructures

THE OSBORN ENGINEERING CO. "OSBORN BUILDING, CLEVELAND, - OHIO.

1901.

TABLE OF CONTENTS.

3

9 747

80

.FNERAL

<u>19</u>

. .

٠

к. 145 К

20

	353	PARA- GRAPHS	
	I. '	DRAWINGS	
	II.	FLOORS AND PAVEMENTS 10	
		A. Single Thick Plank Floors for Roadways, . 11-15	
1.62	12	B. Double Thick Plank Floors for Roadways, . 16-19	
100		c. Brick Pavements for Roadways, 20-36	
		D. Medina Block Pavements for Roadways, . 37-44	
		E. Sheet Asphalt Pavements for Roadways, . 45-56	
		F. Plank Flooring for Sidewalks,	
	0.2	G. Cement Pavements for Sidewalks	
13-00		н. Catchbasins, 67	19
		I. Maintainance Guarantee,	
	III.	WHEEL GUARDS AND CURBS	
2.4	IV.	CAR TRACKS AND TROLLEY POLES	
	. V.	RAILINGS	
	VI.	LIGHTING	
00	VII.	NAME PLATES	
	VIII.	LOADS	
	IX.	UNIT STRESSES.	
	x.	DETAILS OF CONSTRUCTION.	
		A. Clearances,	
		B. Tension Members,	
		c. Compression Members,	
		D. Floor System,	
		R. Lateral System,	
		F. Riveting,	(e)
		C. Riveted Work	
		(a.) First Class,	
		(b.) Second Class, '	
		(c) General Clauses,	
		н. Trusses,	
		I. Plate Girders,	
		J. Rolled Beams,	
		K. Towers and Bents,	
		L. General,	
	XI.	QUALITY OF MATERIAL.	
	C.S.6-297	A. Wrought Iron,	
		B. Cast Iron,	
		C. Steel,	
		D. Cast Strel,	
		E. Paint,	
		F. Timber,	
	XII.	WORKMANSHIP	
	XIII.	그는 승규님과 방법에 다양 방법에 가지 않는 것이 같아요. 그는 것이 같아요. 그는 것이 같아요. 그는 것이 같아요. 그는 것이 가지 않는 것이 같아요. 그는 것이 것이 같아요. 그는 것이 것이 같아요. 그는 것이	
	XIV.	ERECTION	
	XV.	GENERAL CONDITIONS	
			183

103721

· 4

. .

•

资

SPECIFICATIONS

ł

ł ĩ

٠

3

FORBRIDGE OVER	
at	
The engineer's general drawings consist of :-	-25 10.
Sheet 1	· · · · · · · · · · · · · · · · · · ·
Sheet 2	
Sheet 3	
Sheet 4	
Sheet 5	
and the second	
The superstructure will consist of	spanslong.
	uala
Roadwaywide, Flooring of	uble
Nailing strips of	(See ¶ 13)
Pavement of on	base (See ¶)
Stringers of (S	See ¶¶ 138, 139 and 140)
Sidewalks wide. Flooring	(See ¶¶ 57 and 58)
Nailing strips of	(See ¶ 59)
Pavement ofon base (.S	ee ¶¶ 60 to 66 inclusive)
Stringers of	See ¶¶ 138, 139 and 140)
Wheel guards of	(See ¶ 69)
Curbs of	(See ¶ 7")
Contractor to Ca	r tracks gauge
	'Sce ¶ 71)
Trolley poles to be	ву
Contractor,	
Contractor to fo	r lighting the structure
byas indicated on drawings	and especially specified.
Dead load to be as per ¶ 80. In computing	dead load, weights shall
be laken as for a	(See note to ¶ 80)
Uniform live load to be as per	
Concentrated live loads to be as per	
Riveled work to be)
Paint, "first coat" to be	
"finish coats" to be	
The entire work to be completed on or befor	e

•

، " ب ا

34

12 C 28

×