BULLETIN OF THE BROOKLYN ENTOMOLOGICAL SOCIETY, NEW SERIES, VOL. XI, NO. 3, JUNE, 1916, PP. 49 - 70 Published @ 2017 Trieste Publishing Pty Ltd

#### ISBN 9780649197262

Bulletin of the Brooklyn Entomological Society, new series, Vol. XI, No. 3, June, 1916, pp. 49 - 70 by Various

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

## **VARIOUS**

BULLETIN OF THE BROOKLYN ENTOMOLOGICAL SOCIETY, NEW SERIES, VOL. XI, NO. 3, JUNE, 1916, PP. 49 - 70



Dec. 28,1916

# BULLETIN

OF THE

# BROOKLYN ENTOMOLOGICAL

SOCIETY

**NEW SERIES** 

Vol. XI

\$ 23-01 a find.

1916



#### EDITED (IN SUCCESSION) BY

F. G. SCHAUPP

JOHN B. SMITH

GEO. H. HULST

CHAS. LOUIS POLLARD

R. P. DOW

#### PUBLICATION COMMITTEE

CHARLES SCHAEFFER,

J. R. de la TORRE-BUENO.

ROBERT P. DOW.

#### INDEX OF GENERA AND SPECIES.

#### Mentioned in Volume XI. New forms marked \*.

```
Acalypta lillianis,* 39
                                                Cafius johnsoni,* 13
     thomsonii, 39
                                                Callirhytis cornigera, 18
Agrotis violaris, 21
                                                Callosamia promethea, 17, 114
Ailanthus, 114
Alsophila, 69
                                                Calocampa cineritia, 17
                                                curvimacula, 17
Calosoma sycophanta, 18
     pometaria, 85
Anarostoma, 15
                                                Calypterus betulæ, 18
Anarostomoides,* 15
                                                Cantharis, 26
                                               Canthon, 26
praticola, 81
Carabus limbatus, 18
     petersoni,* 15
Anax junius, 18
Anisopteryx, 69
Anthocharis genutia, 17
Antiblemma inexacta, 17
                                                     nemoralis, 17
                                                vinctus, 18
Catocala carissima, 90
Apion, 42
Aprostocetus ulysses,* 112
                                                     elonympha, 17
Aradus cinnamomeus, 90
                                                     relicta, 18
     falleni, 90
                                                Cehric antennatus,* 107
                                                     bicolor, 107
compositus, 108
     shermani, 90
uniformis, 90
Arctia caia, 18
                                                     emarginalus,* 108
                                                     estriatus, 108
mandibularis, 108
     nais, 17
     virgo, 90
                                               Cephidia textrionis, 17
Ceratomia undulosa, 90
Ateuchus sacer, 26
     agyptorum, 27
Athons scapularis, 90
                                               Cereus giganteus, 78
Cerura multiscripta, 90
Attacus cecropia, 114
                                               Cetonia, 27
     californica, 114
                                               Cetonia, 27
Chalcholepidius viridipennis, 90
Chlanius pennsylvanicus, 81
Chloridea obsoleta, 42
     columbia, 114
gloveri, 114
Attalea, 41
                                               Chrysomysa ænea, 42
Aulonium parallopipedum, 17
                                                    demandata, 40
     tuberculatum, 17
Aulonothroscus rugosiceps,* 63
                                               Cicindela consentanea, 18
                                                    cuprascens, 81
constrictor, 63
Autographa biloba, 21
                                                    formosa, 81
hirticollis, 81
lengii, 81
Banasa packardi, 91
                                                    lepida, 81
Bellura gortynides, 90
                                                    macra, 81
Bembidium carinula, 13
                                                    modesta, 91
     litorale, 13
                                                    patruela, 18
     lorquini, 13
                                                    ponderosa, 81
     pugetanum,* 13
                                                    purpurea, 18
repanda, 81
Betula populifolia, 18
Bombus flavifrons, 46
                                                    rugifrons, 91
     pennsylvanicus, 46
                                                    scutellaris, 81, 91
Bruchomorpha oculata, 17
                                                    sex-guttata, 18
```

```
Eucetia pudens, 17
Cicindela striga, 92
     tranquebarica, 81
                                                Eumaus atala, 91
Cingelia catenaria, 18
                                                Euphoria areata, 91
Clerus ichneumoneus, 90
                                                herbacea, 84
Euxesta exilis,* 45
Compsothrips albosignatus, 65
Copris, 26
                                                     quadrivittata, 40, 44
carolina, 17
Coptodera erala, 90
                                                Galeroclerus fasciata, 74
                                                trilobatus, 74
Gargaphia angulata, 18
Cossonus bohemanni, 79
     concinnus, 74, 79
    crenatus, 79
ellipticollis, 79
fossicollis,* 74, 78
                                                Gaurax, 87
                                                Geopinus fluvialis, 81
                                                Geotrupes opacus, 81
    hubbardi, 74, 77, 79
impressifrons, 79
                                                Gerris, 53
                                                Glaa carnosa, 21
                                                Gonatocerus novifasciatus, 112
Grynocharis expansa,* 72
    pacificus,* 74, 75
pinephilus, 77
                                                     oregonensis, 73
pilosula, 73, 74
quadrilineata, 73
    platalea, 79
quadricollis, 79
    schwarzi,* 74, 76
subareatus, 74, 75
texanus, 74
Cremastochilus nitens, 81
                                                Hadena burgessi, 21
                                                Hepialus argenteomaculatus, 21
Creniphilus subcupreus, 47
                                                     auratus, 18
                                                Halicius floridanus cæsareus,* 11
nymphaearum, 11
Cychrus stenostomus, 18, 90
     elevatus, 18
     shoemakeri, 18
                                                     oceanicus.* II
     canadensis, 18
                                                Heteromyza, 15
Helluomorpha nigripennis, 90
     pyrsolepis, 90
                                                Homoglaa hircina, 17
Homoptera cingulifera, 21
     stenostomus, 90
Cymbiodyta fimbriata, 47
Cryptothrips bicolor, 64
                                                Hydroessa, 56
     dentipes, 64
                                                Hydrometra australis, 92
     gilvipes, 64
                                                     martini, 92
     lata, 64
                                                 Hydrotaea acuta, 109
                                                      arnipes, 109
Decatoma marylandica,* 112
Dermesles pulcher, 91
                                                      bispinosa, 109
                                                      ciliata, 109
                                                      cressoni, 109
dentipes, 110
houghi,* 110
Diacrisia virginica, 21
latipennis, 21
Dianthus carthusianorum, 46
Dorcus brevis, 70
                                                      irritans, 109
     parallelus carnochani,* 70
                                                      melatarsata, 109
Drapetes ecarinatus,* 62
                                                      meteorica, 110
                                                      militaris, 109
     geminatus, 62
                                                      occulta, 109
     niger, 62
nitidus, 62
                                                      unispinosa, 109
quadripustulatus, 62
rubricollis, 62
Dysterias abortivalia, 17
                                                 Idiocerus skurra, 17
                                                 Jodia rufago, 17
Elachistus louisiana, 112
                                                Laricobius erichsoni, 14
laticollis,* 14
     marylandica,* 112
Elasmocerus terminatus, 17
                                                 Lemna, 60
Endecatoma, 112
Epinaptera americana, 17
                                                 Leptura americana, 90
Erirhipis herbacea occidentalis,* 84
                                                 Libocedrus decurrens, 72, 73
```

Oncocnemis riparia, 17 Onthophagus guatemaliensis, 81 Operophtera bruceata, 68 Ligyrus relictus, 81 Limenitis arthemis, 90 Liodes alpha, 20 Ophion, 115 Orgyia leucostigma, 111 Orthosteira, 39 Lucanus elaphus carlengi,\* 70 Lucilia cæsar, 33 Lygidea mendax, 18 Orthostira, 39 Oscinoides\* arpidia,\* 87 Lymexylon sericeum, 17 Macrovelia horni, 92 Oxygramma rogationis, 21 Malacosoma americana, 17 Pachnobia salicarum, 17 Paleacrita, 69 disstria, 17 Marumba modesta, 90 Menecles insertus, 91 vernata, 85 Panchrysia purpurigera, 21 Papaipema speciossissima, 18 Pasimachus depressus, 18, 9 Phaneus difformis, 79, 81 Merinus laevis, 90 Merragata hebroides, 92 Mesovelia bisignata, 92 90, 91 mulsanti, 92 Microvelia, 53 Philhydrus nebulosus, 47 albonotata, 57 ochraceus, 47 Philonthus quadricollis, 14 seminitens, 14 americana, 57 atrata,\* 57, 63 borealis,\* 57, 59 capitata, 58 Philosomia cynthia, 114 Phlæosinus sp., 72 sordidus, 14 Phyllophaga, 68 fontinalis,\* 57, 58 pulchella, 59 Micrutalis calva, 91 Piezocorynus dispar, 90 Miscogaster marilandica,\* 87 Myas coracinus, 90 cyanescens, 18 Pimelia, 27 Pimpla, 114 Pinus sabiniana, 79 Pirene marylandensis,\* 88 Næogeus burmeisteri, 91 marylandicus, 88 pusillus, 91 Necrobia rufipes, 33 Nemosoma attenuatum, 72 Pithanus maerkeli, 18 Pleocoma australis, 12 behrensi, 12 cylindricum, 20 conjungens, 12 fimbriata, 12 hirticollis, 12 hoppingi, 12 fissiceps, 72 punctatum. 71 hoppingi, 12 puncticollis, 12 rickseckeri, 12 Neuroctenus simplex, 90 Notogramma stigma, 40, Notoxus arizonensis,\* 36 balteatus, 35 bifasciatus, 38 brevicornis,\* 3 staff, 12 ulkei, 12 Podisus fretus,\* 82 brevicornis,\* 34 breviusculus,\* 35 maculiventris, 83 serieventris, 83 Populus tremuloides, calcaratus, 33, cavicornis, 36 Promachus fitchii, 66 milberti, 68 delicatus, 36 intermedius,\* 38 montanus, 33, 35, 37 vertebratus, 66 nevadensis, 35 nuperoides, 3 Protoparce carolina, 21 sexta, 21 Psapkidia thaxterianus, 17 nuperus, 33 pallidus,\* 35 similis,\* 37 Psenocerus supernotatus, Pseudometagea hillmeadia,\* 113 Pseudovespa austriaca, 102 Psithyrus insularis, 46 Odontonyx trivittis, 90 variabilis, 47 Odontota hornii, 90 Edaleothrips hookeri,\* 64 Pterostichus pupuratus, 90

Trechus borealis, 90 Tricrania sanguinipennis, 17, 91 Quercus coccinea, 18 palustris, 18 Tritoxa rufipes, 40 Trochopus marinus, 56 Trogosita virescens, 17 Renia tilosalis, 17 Rhagovelia, 53 obesa, 55 Tropisternus glaber, 47 salina, 56 lateralis, 47 Rheumatobates, 55 Rhus copalina. 20 Trydymus aureipes, 88 glabra, 20 Vanessa milberti, 17 typhina, 103 Velia, 53 australis,\* 54 currens, 53 Saprinus sp. 81 Scaphinotus shoemakeri, 90 rivulorum, 53 Scarabæus, 26 stagnalis, 54 Scopelosoma sidus, 17 Veliomopha, 56 tristigmata, 17 Vespa, 32, 101 americana, 103 Seioptera vibrans, 40, 46 Selenophorus sp., 81 arboreo, 103 Smerinthus astarte, 90 austriaca, 103 barealis, 103 geminatus, 21 Solanum, 41 Soronia ulkei, 17 Sphæridium scarabaoides 81 carolina, 104 communis, 104 consobrina, 102 Sphenophorus destructor, 81 Sphex, 32 Sphida obliqua, 90 Sphinx chersis, 91 diabolica, 104 geramnica, 104 intermedia, 103 maculata, 104 occidentalis, 104 Sthenopis 4-maculatus, 21 Strategus mormon, 79 pennsylvanica, 104 Strongylium terminatum, 90 rufa, 103 sulphurea, 104 Taniocampa alia, 17 viduo, 104 vulgaris, 104 rubescens, 17 Tenebrioides mauritanica, 17 Volucella obesa, 46 Tetraopes canescens, 81 Tetrastichomyia clisiocampae, 111 Xanthoptera semiflava, 17 orygae,\* 111 siluensis, 111 Xylina antennata, 17 bethunei, 17 Tettix sp., 91 Throscus carinicollis,\* 63 disposita. 21

chevrolati, 63

Tortricidia testacea, 17

fagina, 21

unimoda, 17

Vol. XI

**APRIL**, 1916

No. 2

22,142

## BULLETIN

OF THE

# BROOKLYN ENTOMOLOGICAL SOCIETY

**NEW SERIES** 



#### PUBLICATION COMMITTEE

CHARLES SCHAEFFER. Chairman

 R. de la TORRE-BUENO. Advertising Manager ROBERT P. DOW, Editor

Published by the Society

14

Price, 25 cents

Subscription, \$1.00 per year (five issues)

### CONTENTS

ENTOMOLOGY AND LITERATURE, Slosson	49
VELIINAE OF ATLANTIC STATES, Torre Bueno	54
OSBORN, AGRICULTURAL ENTOMOLOGY	61
NEW SPECIES OF THROSCIDAE, Schaeffer	62
ŒDALEOTHRIPS HOOKERI, N. SP., N. GEN., Hood	64
COMPARISON OF PUPÆ OF PROMACHUS VERTEBRATUS	
AND FITCHII, Malloch	66
OPEROPHTERA BRUCEATA, Pearsall	68
TWO NEW LUCANIDS, Angell	70