

**THE TRUTH ABOUT
VACCINATION; THE NATURE AND
ORIGIN OF VACCINE LYMPH,
AND THE TEACHINGS OF THE
NEW BACTERIOLOGY**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649047314

The Truth about Vaccination; The Nature and Origin of Vaccine Lymph, and the Teachings of the New Bacteriology by H. Valentine Knaggs

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

H. VALENTINE KNAGGS

**THE TRUTH ABOUT
VACCINATION; THE NATURE AND
ORIGIN OF VACCINE LYMPH,
AND THE TEACHINGS OF THE
NEW BACTERIOLOGY**

THE TRUTH ABOUT VACCINATION

The nature and origin of vaccine
lymph, and the teachings of the
New Bacteriology

BY

H. VALENTINE KNAGGS
L.R.C.P., Etc.

LONDON: C. W. DANIEL, LTD.
GRAHAM HOUSE, TUDOR STREET, E.C.

1914

1944

10-11-44

GIFT

TO THE
LIBRARY

CONTENTS

	PAGE
INTRODUCTORY.—THE POLICY OF CONCEALMENT	13
<p>Here is shown how the public and the rank and file of the medical profession are studiously kept in ignorance of the true nature of the material from which vaccine lymph—often referred to as 'pure calf lymph'—is derived.</p>	

CHAPTER I.—SYPHILIS, A DISEASE OF HUMAN ORIGIN	21
--	----

In this chapter the far-reaching, devastating and race-destructive effects of human syphilis are shown. Details are given as to the cause of this disease. Syphilis is now known to be due to the ravages of a minute protozoan animal parasite which enters the body by some direct or indirect form of contagion. The infecting agent is a minute, almost ultra-microscopical organism called a sporozyte. The symptom-producing organisms are the male and female parasites, into which the sporozyte can transform itself if given a favourable environment.

CHAPTER II.—'COW-POX,' OR SYPHILIS OF THE COW	37
---	----

All the older authorities who dealt with cow-pox in its virulent and primary form were agreed that the cow was always infected by the milker's hand and that cow-pox, so produced, was known to induce symptoms which were indistinguishable from human syphilis. The method by which the original severe cow-pox was modified in Jenner's

CONTENTS

CHAPTER II.—*cont.*

PAGE

time so that it could be used without producing syphilitic symptoms is made clear. It has been demonstrated that syphilis can be inoculated upon cows. The author urges that cow-pox should be made a notifiable disease in order that, whenever a case occurs, it may be traced to its true source. The reason why this has not hitherto been done is that it would mean the immediate cessation of vaccination.

CHAPTER III.—COW-POX, OR COW-SYPHILIS LYMPH: THE ONLY MATTER WHICH CAN BE LEGALLY USED FOR PREPARING VACCINE LYMPH

55

The fact is brought out here that all the statements made by pro-vaccinists as to the value of vaccine lymph are based upon the exclusive use of cow-pox lymph. Cases are cited where syphilitic symptoms and death have occurred from the use of vaccine lymph when the persons vaccinated were proved to have been free from that disease. The important group of cases cited by the late Sir J. Hutchinson are fully set forth, in which this great authority on syphilis said: "The final supposition is that it is possible for vaccination, independently of any syphilis, whether implanted or inherited, to evoke symptoms which have hitherto been regarded as peculiar to the latter malady and which are apparently greatly benefited by specific treatment." It is shown that protozoan organisms similar to those found in syphilis are also known to be present in vaccine lymph, while spirochætæ, or male syphilitic organisms, have been discovered in vaccine pustules. The most important link, however, to connect the two diseases is that made by an American doctor. He states definitely that recently vaccinated persons,

CONTENTS

CHAPTER III.—*cont.*

PAGE

who have never contracted syphilis nor inherited it, when subjected to the Wassermann test show a positive reaction, which means that they have to all intents and purposes contracted syphilis from the vaccination. This most damning testimony brands 'calf lymph' as a form of syphilis and should convince even the most sceptical that the practice should be stopped.

CHAPTER IV.—INOCULATION FOR SMALL-POX . . . 71

In this chapter it is shown that it is an illegal procedure to use small-pox virus for the purpose of producing vaccine lymph. Jenner and his friends were most strongly opposed to the practice, and it was chiefly through their efforts that its use was forbidden by law. The Medical Experts of the Local Government Board wish to revert to modified inoculation by preparing vaccine lymph from small-pox. They have prepared a form of variolous lymph taken from small-pox corpses, and passed through monkeys, which they now say has not been used except for experimental purposes; yet the lymph at present in use is known to be obtained from a similar form of lymph, but it is obtained from Germany. In this way questions asked in Parliament can be evaded.

CHAPTER V.—THE INCREASED INFANT MORTALITY DUE TO VACCINATION 87

The deadly effects of vaccination upon the health and lives of the infant population are referred to here. It is also shown that the infant death-rate has steadily decreased in proportion as vaccination, under the Conscience Clause, has fallen into disrepute.

CONTENTS

	PAGE
CHAPTER VI.—THE DREAD ANIMAL DISEASE CALLED 'FOOT AND MOUTH DISEASE' HAS BEEN TRACED TO VACCINE LYMPH	95

In America quite a number of epidemics of 'Foot and Mouth Disease' have been traced to vaccine lymph. The calves used for the production of vaccine lymph are turned out afterwards into fields and thus infect the pasturage; other animals eating this tainted grass become infected by the disease and so originate 'Foot and Mouth Disease' among the cattle. The disease is very prevalent in Ireland where the calves, as in America, are likewise turned out into the fields. An Irish doctor who had to deal with a recent outbreak wrote that 'Foot and Mouth Disease' and 'cow-pox' were closely related, if not identical diseases.

CHAPTER VII.—SMALL-POX IS NATURE'S REMEDY FOR SYPHILIS	103
---	-----

In this final chapter it is shown that an attack of small-pox is the means adopted by Nature for fully clearing away from man's body, by a surface elimination, syphilitic organisms and other impurities, thus making him internally clean. The New Bacteriology is discussed, which shows that bacteria are not the true cause of disease, but rather that they are an essential part of the bodily mechanism of defence against the minute infecting agents or sporozoites of syphilis and other protozoan toxins. The theory evolved is that such germs as the colon bacillus found in the human bowels, the tubercle bacillus, the diphtheria bacillus, the typhoid fever germ, and all other germs capable of cultivation outside the body, are intermediary organisms. They are not introduced

CONTENTS

CHAPTER VII.—*cont.*

PAGE

into the system from without, but are actually detached by the living cells of the tissues themselves. They are a form of first-aid to preserve the tissue cells from that inevitable destruction which would await them if the sporozoites or toxins could attack and enter into them as parasites. The second stage in this mechanism of defence is for the phagocytes or white blood corpuscles to eat up the virus-laden bacteria and to then promptly take them to the lymphatic glands, where a special glandular secretion can destroy them. When the amount of virus or the number of bacilli and phagocytes is too great for the glands to deal with, then the next step in bodily defence is for the phagocytes to be taken to the surface, where they can be promptly extruded. Incidentally pneumonia, tuberculosis and other septic diseases are shown to be due to a failure of the phagocytes to reach either the glands or the skin. Cancer also is shown to be due to a failure on the part of the bodily cells to provide bacteria, the result being that the cells are invaded and the male and female parasites are produced, resulting in tumour formation. When the bodily mechanism works satisfactorily an attack of small-pox supervenes or a crop of boils or a large abscess occurs. The supreme importance of cleanliness is urged as the best means of preventing small-pox. Digestive and hygienic cleanliness, as well as mental, moral and sexual cleanliness, are urged as the one and only way by which the human race can attain to that pitch of good health which ought to be the birthright of all, and would make such diseases as syphilis or epidemic small-pox well-nigh impossible.