A TREATISE ON THE ASSAYING OF LEAD, COPPER, SILVER, GOLD, AND MERCURY

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649067374

A Treatise on the Assaying of Lead, Copper, Silver, Gold, and Mercury by Th. Bodemann & Bruno Kerl

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

TH. BODEMANN & BRUNO KERL

A TREATISE ON THE ASSAYING OF LEAD, COPPER, SILVER, GOLD, AND MERCURY



Entered, according to Act of Congress, in the year 1865, by

THE BERZELIUS TRUST ASSOCIATION,
In the Clerk's Office of the District Court of the United States, for the
Southern District of New York,

TABLE OF CONTENTS.

											PAG
Preface, .	60	•			•	3€				30	7
Introduction,	200	*:	28	0.00	20		3.5				1
Assay weights	,				•	٠					1
Black, white,	and	raw f	lux,	•	•	٠	٠	•	\$		1
			LE	AD	ASS	SAY					
Defects of the	dry	lead	assay	,	***		~ ~		•0	300	1
Inaccurac	y of	the o	dry le	ad as	say,	and i	te car	1508,			1
Classification of			Charles Tolland								1
Sulphuriz					3,				23		1
Oxydized					85. -	*	334		*2	(*)	2
ASSAYS FOR OF THE LEAD CO									CONT	AIN .	2
 A. Ores and foreign sulph gredients, 			a gre	ater o							2
Fusion with co	rbo				1	8	100	1	- 35	- 8	2
Method a						Worl	cs.	1	1	2	2
Theory,				5¥	-5700			224	10		2
Remarks						38	-	220	60	2	2
Fusion with b							200	100	*3		2
Theory,				100	1000	40	(4)	905		- (1)	2
Method a				ederi	ck Si	nelti	ng W	orks		-	3
Fusion with m										ate	-
of soda, or l											3

CONTRNIS.

열차 설명하고 있다.							
Process (in Freiberg),	916	•	•				
	•	80				*	
Remarks upon this assay		*);	*	:()		3.5	•
Modifications of this assa		*3	*	225	100	.23	
Fusion with reducing agents:	and :	fluxes	in w	rough	st iro	n eru	ci-
bles,		•	•	•	•	•	٠
B. Ores and metallurgical p	rodu	ets co	ntain	ing a	cons	idera	ble
quantity of foreign sulphi-							
with a greater or less amou					/ (• ()	•01	
General remarks,						3	
Roasting and reducing assay,		- 23	2			27	
Process at the Unterharz		0000		12	274	20.	
Theory,				10	0.00	92	
Remarks upon this assay		0.60				•	
Assay with sulphuric acid,	200	(3 0 5)	•	200	590 590	*5	-
			9 00				
C. Substances poor in lead,		t con	tainin	ga	consi	deral	ole
quantity of earthy matters,		. 5			3 .	•0	3
Smelting with fluxes and a w							2
Fusion with solvent agents an			vot's	meth	od),	•	
Indirect methods (by calculat	ion)	-	¥1	*			•
SI	CTI	ON :	II.				
ASSAYS FOR ORES AND META	LLUR	GICAL	PROL	UCTS	wine	си со	N-
TAIN THE LEAD AS OXYD,	No.	Si	(1) (1)	•			
A. The oxyd of lead is comi	ined	with	fixed	min	eral s	cids,	×
Fusion with reducing agents,		0.00	*11			1100	
Fusion with reducing agents a	ınd i	ron,		•	i i	•	
D W						***	
B. The oxyd of lead is free of			Q WIL	n silii	cie ac	m, ca	т-
bonic acid, or an organic ac		-	•3	•		•	٠
Fusion with reducing agents,		195		*		. (4.5)	٠
Fusion with reducing and solv	rent	agent	8,	ै	e.	•	2
SE	CTI	I ZC	II.				
LEAD ALLOYS,		3%	-	٠.		•	*
Assay with sulphuric acid.						11400	

			CONT	ENT	S.				
Add	litional remarks u Comparison of determination	the dif	Ferent	A.88	ays f				
	products, .		**************************************	•				0	
Lev	ol's fusion assay w	rith fer	тосуал	iid a	nd ey	anid	of po	tassi	ım,
	Schemnitz lead a	asay,		70	3377	* ¥0	*	93	•
	-	con	non	•	77.		60		
		COP.	PER	A	SSA	Y.			
Clas	ssification of the c		usay,	2			*		
	General remarks,				•	• 3			2
	Classification, .	1901					:	•	
			SECT.	ON	I.				
COP	PER ASSAYS IN TEL	DRY	WAY,	×17	(3.00)	90		**	
I.	Sulphuretted ores	and m	oduet	i wit	b or	with	nnt a	ecom	กล-
	ying selenium, ars					9 7			
2									
	Assays for rich o man copper assay,		proud	ati tee,	100	•		17	*
Ger	Roasting,	E 5	-	8	1	16	૽૽		•
	Fusion to black e		. 1	•		•	•		1
		4.4		o.	17.	*			
	Refining of the b				2.0	•	•		•
	Refining on the r		1.1		÷	•		: •	
69 42 700	Refining on the c		*	100	1.3	•		•	
	lish copper assay,		80	30	3.0	9250	*	8.5	•
Plat	tner's copper assa	y, .	57	*	•	•	•		•
B.	Assays for poor o	res and	l prod	ucts,		3	÷	12	
Con	centration fusion,		571			*0		:13	
Fus	ing with collecting	g agent	s,	3.6		*8	٠	$\widehat{\mathbb{G}}$	•
re	Oxydized ores an	d proc	lucta,			•			::•:·
LI.									
11.	Fusion to black e	opper.					(2)		

CONTENTS.

rusing with rec			ltectin	g ag	ents,	*		2.6	7
Concentration s	melting,		*3	8.5	23			3.0	7
III. Copper alloys,	.01	**		:::	67.00			8.5	7
Different methods,		•							7
Remarks on the	dry cop	per a	ıseay,	•		٠	•	3	7
	024	T 1 C400		227					
			ION	11.					
COPPER ASSAYS IN TH	E WET T	VAY,	•	•	83			2.5	7
I. Assays for substa	ances ric	h in	сорре	C, .				. 52	7
Modified Swedish a	usay in	use	at t	he (berh	arz	Smelt	ing	
Works,			*0	*	8.5			3%	7
Old method,	57 35		2.0	*	135			85	7
New method,		1	•	•	•				78
Mohr's modification,									78
Extension of the									78
Colorimetric copper:	assays,	3.	•			•	*	*	81
 Heine's method, 		0.0	•	*	36	•	. 10	\times	81
Standard fluids,		25	553		(2)	95	*0	25	82
Production of the					•	٠		4	84
Comparison of t					rida,		100	-	86
Limits of applica								20	87
Substances which					ay,			*	87
Changeableness					*	*		*0	89
2. Jacquelain's and v	on Habe	rt's i	metho	ď,	•	85	0.00	23	90
Process,	8	•		•	•	•	•		90
Normal solution,	20.	(¥)	3.4	23		1	19.0		90
Assay fluid, .			e de Lacon	\$1) 0019:00		٠.		. 1	90
Comparison of t			ution	with	the :	a 98a	y fluid		91
Remarks upon th			95	(*))	. ti	J.	. 8		93
Comparison of t Oberharz proc		r wit	h He	ne's	meth	nod,	and t	he	.93
3. Müller's assay with		nnler	nents	est oc	olo-im	ete:	- W	1	94
Nature of this as		-55		35		ಿ	300	1	94
Volumetric copper as				ores Si	83		24	•00	95
Different method		**		14		•	0.5		95
1. Pelouze's method						of	sodiur	n.	95
Nature of this as								7. C	95
Process,					88	ŝ			96

	C	ONE	ENTS	900					
\$90.07 (000) \$5.6550 (0	10000000	100.000			25000000				PAGE
Production of the s			sodiu	m so	ution	, .	•1		96
Remarks upon this	assay.		68	9.0	26	99	*		97
2. Schwartz's method w	ith th	e mo	dific	ation	of F	. Mo	hr,	120	98
Process,			P.5				3		98
Other copper assays,		£ .							99
Methods of Level,		t and	d By	er, ar	d Ri	rot,	10		99
II. Assays for substance	es po	or in	copp	er.	196	- 4	•		100
Colorimetric copper assa		nanawa na					•00		100
Additional remarks upor		conn				117	900	-	100
Charging of the coy						22	36	8	100
Fleitmann's copper					- C. C. C. C.		- 33	Ü	100
Heine's colorimetric						075	24		101
Volumetric method					Leziun				101
	NT 37	To Do	10	C A T	v				
S Classification of the silve	SILV er ass		AS	SA.	Y.				103
Classification of the silve		аy,	AS	SA.	Y. :	e	\$2 •	*	103
Classification of the silve Dry silver assay,	er ass	аў,	AS	SAT	Y. :		: : ::::::::::::::::::::::::::::::::::	•	
Classification of the silve Dry silver assay, Volatility of silver,	er ass	ay,	AS	SA'	Y. :			• • • •	103
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the	er ass	ay,	2.53 3.54 1.54	SAT	Y.			• • • •	103 103
Classification of the silve Dry silver assay, Volatility of silver,	er ass	ay,		SA:	Y. :		•	• • • • • • •	103 103 104
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay,	cr ass cupel,	ay,			Y. :		•		103 103 104 105
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay,	er ass cupel,	ay,			Y				103 103 104 105
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay, Classification,	cupel,	ay,	ion	: : :		that	·	·	103 103 104 105 106
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay, Classification, .	cupel,	ay,	ion	: : :		that	· · · · · · · · · · · · · · · · · · ·		103 103 104 105 106
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay, Classification, SILVER ASSAYS IN TREE DI L. Assays for ores and alloys,	cupel, SI	ECT	i i i i i i gical	i. i. prod	·	that	are	not	103 103 104 105 106
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay, Classification, SILVER ASSAYS IN TREED I. Assays for ores and alloys, Scorification assay for or	crass cupel, S RY W/	ECT	i i i i i i gical	i. i. prod	·	that	are		103 104 105 106 107
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay, Classification, Silver assays in the bi I. Assays for ores and alloys, Scorification assay for or Two periods,	cupel, . SI RY WA	ECT	i i i i i i gical	; ; ; ; prod	·	that	are		103 103 104 105 106 107
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay, Classification, SILVER ASSAYS IN THE DI I. Assays for ores and alloys, Scorification assay for or Two periods, Mixing of the Assay	cupel, . SI RY WA	ay,	i i i i i i gical	; ; ; ; prod	·	that	are		103 103 104 105 106 107 107
Classification of the silver Dry silver assay, Volatility of silver, Absorption by the Wet silver assay, Classification, Silver assays in the bi I. Assays for ores and alloys, Scorification assay for or Two periods,	cupel, . SI RY WA	ay,	i i i i i i gical	; ; ; ; prod	·	that	are		103 103 104 105 106 107 107 107 107

viii	CONTENTS.

										PAGE
Examples,		•3		38		*		9(4)	•	116
Cupellation,	•	*0	3.6		•0		339		90	119
Fusion assay for p							8.5	8.8	**	125
Fusion assay for p	oor p	yritif	brous	ores	and	produ	acts,	1.01		127
Theory, .										127
Fusion assay for p	oor, e	arth	y subs	tance	s,	Ų.	2.3			132
1. Oberharz n	aetho	1,		50	100		500			132
2. Assays for	plum:				te,	*	-	((*))	90	133
3. Scorificatio	n ass:	y,			*0		39	100	3.0	134
4. Wet way,	EL#011	£.		1.5	*			01100		134
5. Concentrat	ion ar	nelti	ng,	ii.	•		•		•	135
II. Assays for arg	entife	rous	allovs	675.89	28	·	92	25	4	135
Metallic alloys, the					hich	is lea	d or l	ismu	th,	135
Argentiferous tin					48	- 6	66	40		136
Argentiferous iron						96	19	*0		136
Metallic alloys whi						**	114	1.63	90	137
Alloys of silver an			3000000				- 22			137
1. "Argentife			er."	B.	74		17.			138
2. "Caprifero				silve	r. ir					139
Preliminary a							8.			139
Strict assay,							68	*0		143
Cupel absorpt					• (0.0	118	*0		149
Alloys of silver an							iam,		•	151
		8	SECTI	ON	П.					
SILVER ASSAYS IN	THE V	VET '	WAY,		*****		100			151
Gay Lussae's volu	metric	me	thod		96	- 50	42	207	40	151
Origin of this				0.0	#0. #0		407			151
Process, .	+		. (*)	33.	-	:5: ::•	- 10	0.50	26	151
Other assays, .	***	.55	79	858	1	8		- 3	- 8	164
Additional remark		n the	eileo	100	111	÷		0.3	į.	165
Methods for t	he av	oidin	g of o	onsid	erabl		ereno			100
		give	II by F	OWN	ers w	at a	e ape	cana	any	165
light, . Loss of silver	in or	· mnc	vion w	rith .	tha e		it w col	lond	to	100
be used in t				(Terr	PHE C	Leant	ary or	lead		165
			ıuon,			•				168
Gay Lussac's silve	r essa	11								100