## MEDICAL AND SURGICAL THERAPY. DESK INDEX

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649645398

Medical and Surgical Therapy. Desk Index by Anonymous

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

### ANONYMOUS

# MEDICAL AND SURGICAL THERAPY. DESK INDEX

Trieste

## MEDICAL and SURGICAL THERAPY

tiš.

33

S. 22

### DESK INDEX



D. APPLETON AND COMPANY NEW YORK AND LONDON 1919

.



#### INDEX

1

Aaser, anti-cholera vaccine, i. 452. Abadie, i. 608. Abadie on laparotomy, iii. 317. Abdomen, tetanus localised in, lateappearing, Henri Bouquet, i. 772. Abdominal cavity, projectiles in, v. 346. Abdominal muscular contracture in prognosis of local tetanus, i. 842. pain and tenderness in typhoid fever, i. 30. pains of dysentery, i. 295, 305. Abdominal reflex in wounds wounds of brain, iii. 573. Abdominal reflexes, ii. 13. Abdominal al wounds, anatomical lesions of, jij, 337. associated abdomino-thoin racic wounds, iii. 377. types of, iii. 378. in multivisceral wounds, iii. 372. dissemination of lesions in, iii. 374. fractures of pelvie girdle in; iii. 377. mortality in, iii. 372-373. in penetrating wounds not injuring viscera, iii. 338. cases of, iii. 338. course of, iii. 341. hernia in, iii. 344. visceral contusions in, iii. 344. in wounds healing spontaneously, iii. 345. abstention of benefit in, iii. 354. in bladder, iii. 353. in kidney, iii. 352. in large intestine, iii. 348. in ascending and descending colon, iii. 348. in sigmoid flexure, iii. 350.

Abdominal wounds, in wounds healing spontaneously, in large intestine, in trans-verse colon, iii. 350. in liver, iii. 351. in rectum, iii. 353. in small intestine, iii. 345. favorable conditions for, iii. 345-347. permanency of, ii. 348. unfavorable conditions for, iii. 347. in spleen, iii. 352. in stomach, iii. 351. summary of, iii. 355. wounds which cannot heal în spontaneously, iii. 355. escape of intestinal contents in, iii. 371. hæmorrhage in, iii. 368. of infection retro-peritoneal tissue, iii. 372. lesions of, complications of, iii. 368. visceral hernia in, iii. 371. in ascending and descending colon, iii. 364. in bladder, iii. 366. in kidney, iii. 365. in liver, iii. 364. in rectum, iii. 366. in small intestine, ili. 358. "bursting" in, le bursting" in, caused by, iii. 362. lesions complete section in, iii. 358. detachment of mesentery in, iii. 358. incomplete section in, iii. 358. perforations in, iii. 358. in spleen, iii. 365. in stomach, iii 363. in transverse colon, iii. 363. projectiles a factor in, iii. 355. large, iii. 355.

Abdominal wounds, in wounds which | projectiles a factor in, small, iii. 357. résumé of, iii. 381. colostomy in, iii. 539. comparative frequency of. b projectiles, iií. various 336-337. diagnosis of lesions in, iii. 441. clinical, iii. 446. penetrating wound in, iii. 446. abdominal syndrome in, iii. 445. course of projectile in, iii. 447 visceral injuries in, iii. 455. in buttocks, iii. 463. in flanks and outer parts of iliac fosse, iii. 459. in hypogastric region, iii. 458. in lumbar region, iii. 463. in umbilical region, iii. 456. in upper abdomen, jii, 460. thoracico • abdominal wounds in, iii. 461 visceral hernia in, iii. 455. examination in, iii. 445. radioscopy in, iii. 470. methods of localisation of projectiles by, in, 473. résumé in, iii, 476. therapeutic indications in, iii. 463. as regards patient, iii. 465. cases for Murphy's oper-ation, ni. 466. hæmorrhage in, iii. 467. hopeless cases in, iii. 466. old wounds in, iii. 466. shock in, iii. 467. as regards projectiles, iii. 469. as regards wounds, iii. 464. cases where operation is imperative, iii. 464. cases which should not be operated, iii. 464. doubtful cases, iii. 465. drainage of localised peritoneal abscesses in, iii. 540. iliostomy in, ill. 539. influence of nature of projectile or weapon on form and gravity of, iii. 331. of bayonet, iii. 331. of grenades, bombs and other trench weapons, iii. 336. of little arrows of air-men, iii. 336.

Abdominal wounds, influence of nature of projectile or weapon on form and gravity of, of revolver bullet, iii. 335. of ricochet, iii. 334. of rifle bullet, iii. 332. of sabre, iii. 331. of shell fragments, iii. 335. of shrapnel bullets, iii. 334. of side arms, iii. 331. of trench knife, iii. 332. intra-peritoneal hæmorrhage in. apontaneous arrest in, iii. 62-63. laparotomy in, iii. 478. anæsthesia in, iii. 484. general, iii. 485. chloroform, iii. 486. ether, iii. 485. spinal, iii. 484. arguments for, iii. 391. cleansing and draining of peritoneum in, iii. 523. closure of abdomen in, iii. 525. conditions in, iii. 279. deferred operations following, iii. 541 closing of artificial anus, iii. 542. delayed removal of projectiles, iii. 541. for protrusion of intestines jii, 541, distance and transportation to operation in, iii. 421. evacuation trench for, iii. 427. stretcher for, iii. 428. to autochir, iii. 424. to surgical centres, iii. 422, equipment for, iii. 414. advanced surgical posts in, iii. 419. automobile surgical ambulance in, iii. 418. ordinary ambulance in, iii. 414. radioscopic installation in, iii. 421. special operating room for, iii. 415-418. evacuation in, iii. 529. examination of abdominal viscera in, iii. 521. history of, iii. 269. in former wars, iii. 276. abstention from, iii. 290. causes of failure of, iii. 292. delay of intervention in, iii. 292.

 $\mathbf{2}$ 

Abdominal wounds, laparotomy in, in former wars, causes of failure in, material conditions in, iii. 293. conclusions on, iii. 296. in Balkan wars, iii. 286. in Boer war, iii. 280. indications for primary lapa-rotomy in, iii. 281. in Chino - Japanese war, iii. 278. in Civil War, iii. 277. in Morocco campaign, iii. 285. in Russo-Japanese war, iii. 282. gravity of, according to localisation, iii. 285. medicinal treatment compared with, iii. 283. statistics of, iii. 284. in Spanish-American war, iii. 278. in Tirah campaign, iii. 279. in Tonkin campaign, iii. 278. requirements of surgeons in, in, 295. ambulance trains, iii. 295. field hospitals, iii. 295. specialisation of sanitary units, iii. 295. spontaneous repair of visceral lesions in, iii. 290. in time of peace, iii. 274. operating surroundings in, iii. 275. patient in, iii. 274. surgeon in, iii. 274. wounds in, iii. 274. instruments and materials for, iii. 478. operation in, iii. 487. detection of principal focus of lesions in, iii. 492. incision in, iii. 491. preliminary exploration of opening in, iii 487. preliminary treatment of visceral hernias in, iii. 489. over-crowding in, iii. 429. automatic transportation and, iii. 432. safe mode of evacuation and, iii. 431. special units for abdominal operations and, iii, 432, surgical train and, iii, 438. post-operative care of patient in, immediate, iii. 526.

subsequent, iii. 528.

Abdominal wounds, laparotomy in, post-operative treatment of wound in, iii. 527. dressings in, iii. 527. pre-operative precautions in, iii. 484. removal of projectiles in, iii. 522. results of, iii. 394, 395, 396-397, 402-411. résumé of, iii. 439. surgical staff in, iii. 413. treatment of accompanying wounds in, iii. 526. treatment of lesions in, iii. 493. bladder, iii. 516 operation in, iii. 518. after-effects of, iii. 518. radiography in, iii. 519. in kidney, iii. 515. in large intestine, iii. 499. artificial anus in, iii. 502. end-to-end anastomosis in. iii. 501. lateral detachment of mesentery in, iii. 501. splenic angle in, iii. 500. sub-hepatic angle in, iii. 499. auturing of, iii. 501, 502. in liver, iii. 504. in mesentery, iii. 519. in omontum, iii. 519. in posterior peritoneum, iii. 519. in rectum, iii. 519, in small intestine, iii, 493. artificial anus in, iii. 497. operation in, iii. 495. after-effects of, iii. 496. resection in, iii. 494. methods of, iii. 498. in spleen, iii. 512. plugging of, iii. 514. splenectomy in, iii. 514. thoracico abdominal wound in, iii. 513. in stomach, iii. 505. by detachment of intercolic omentum, iii. 511. in posterior surface, iii. 507. in upper part, iii. 506. through great omentum, iii. 510. through transverse mesocolon, iii. 508. abdominal thoracico in wounds, iii. 519.

Abdominal wounds, medicinal or abstention treatment of, iii. 532.

absolute immobility in, iii. 532. arguments for, iii. 391 camphorated oil in, iii. 536. evacuation in, iii. 537.

Fowler's position in, iii. 533. morphia in, iii. 536.

nothing by mouth in, iii. 532.

Priesenitz's compress in, ili. 536. rectal injection, "drop by drop"

in, iii. 534. results of, iii. 392-393, 395, 398-

401-536.

multiple drainage in, iii. 539.

- Murphy's supra-puble drainage in, iii. 384, 538.
  - efficaciousness of, iii. 385. iliac anus in, iii. 389.

injuriousness of, iii. 386.

results of, iii. 387.

situation of wounds in, iii. 389.

triple drainage in, iii. 390.

- uncertainty of drainage in, iii. 386.
- penetrating, laparotomy for. See Abdominal wounds, laparotomy for.
- surgical intervention in, imperative, iii. 274.
- treatment in present war, iii. 298. evolution of, summary of, iii. 328.
  - in first period, abstention re-sults in, iii. 304.

Delorme's administrativo circular on, iii. 301.

laparotomy rejected, iii. 301. incision, Murphy's and drainage recommended

for large perforations, iii. 302.

- operative abstention advised for small perforations, iii. 301.
- laparotomy disastrous, iii. 298, 299, 300.
- laparotomy results in, iii. 303.
- in second period, laparotomy successful, iii. 298, 299-300. 306-321.
- in third period, medicinal or abstention treatment success-ful, iii. 299, 300, 321-328.

nature of projectiles and, iii. 329. operative surroundings and, iii. 328.

- Abdomino-thoracic form of local tetanus, i. 811. case, P. L. Marie, i. 811. development of, i. 815. mode of entrance in, i. 814. pathogenesis of, i. 815. summary of, i. 918.
- Abdomino thoracie wounds, asso-ciated, anatomical lesions in, iii. 377.

types of, iii. 378.

- Abduction as a mode of measurement, vi. 224. Abduction of thigh muscles, involved,
- ii. 200.
- Abductor brevis pollicis, tests of functional activity, iii. 281. hallucis, iii. 163.
  - longus pollicis, iii. 33, 52. minimi digiti, iii. 92, 164.

- pollicis manus, iii. 54. Abnormal mobility, determination of, in fractures of mandible, iv. 633 et seq.

Abortive typhoid fever, i. 10.

- Aboulia, a mental factor in "con-gealed hand," ii. 380.
- Abscess, gangrenous, in infections of lungs, vi. 844. phlegmonous, in infections of lungs,
  - vi. 845.
  - traumatic pulmonary, evolution of, vi. 848.

- prognosis of, vi. 848. Abscess, hepatic, i. 68. in amcebic dysentery, i. 361
- 365-366.
- Abscess of brain in head injuries, iii. 745.
  - clinical forms of, iii. 749.
  - differential diagnosis of, iii. 750. from functional symptoms, iii.
    - 751.
    - from meningitis, iii. 750.
  - from traumatic apoplexy, iii. 750. etiology of, iii, 745.
  - symptomatology of, iii. 746.
    - in acute superficial abscess, iii. 746.
    - deep chronic abscess, iii. 747. in complete hemiopia, iii. 749.
      - general symptoms, iii. 747. local signs, iii. 747.
      - papillary stasis, iii. 748.
      - psychic disorders, iii. 748.
- Abscess, sub-dural, under frontal lobe, iv. 965-966, 968.

Abscesses, i. 147.

multiple, i. 40. peritoneal, drainage of, iii. 540.

- subcutaneous, i. 79.
- Abscesses, associated with projectiles, v. 353.
- in bone, reopening of, v. 705. Absence of pain, not diagnostic, ii. 289.
- "Accoucheur's hand," ii. 362, 365. persists in sleep, ii. 732. Trousseau's description of, ii. 527. "Acro-contractures," ii. 506, 509.
- neuropathic, prognosis of, ii. 734. Absinthe, effects of suppression of in
- epilepsy, vi. 588. Absorbent wool, i. 654.
- Absorption, disorders of, in cholera, i. 386-387.
- Absorption of rays, dangers of, in extraction of projectiles extraction of projectiles with aid of intermittent
- control of screen, v. 318. Abstention treatment of abdominal wounds, iii. 299, 300, 301, 321-328, 392-393, 395, 398-401, 532.
  - absolute immobility in, iii. 532. arguments for, iii, 391. camphorated oil in, in, 536. evacuation in, iii. 537.

  - Fowler's position in, iii. 533. in former wars, iii. 290. in wounds healing spontaneously, iii, 354.
  - morphia in, iij. 536.
  - nothing by mouth in, iii. 532.
  - Priessnitz compress in, iii. 536. rectal injection, "drop by drop"
- in, 534. results of, iii. 536. Academy of Medicine, i. 535, 698, 700.
- Accidental Insurance Company, i. 520.
- Accidents, in intravenous injection, i. 661.
  - operative, i. 150.
- Accumulators, battery of, vi. 4.
- Acetozone, iv. 93-94.
- Achilles reflex in wounds of brain, iii. 570.
- Acid nitrate of mercury in syphilis, i. 143, 644-645,
- Acne, syphilitic, i. 578.

2.1

- Acneiform syphilide, i. 578, 645. Acromyotonus, ii. 361, 366, 561.

- Acro-paralyses and acro-contractures, ii. 730. Active movements, in after treatment, iv. 157 et seq. Active syphilitic treatment, i. 675. Acuity, visual, iv. 1014–1015. Acute cirrhosis, i. 635. encephalitis, i. 635. meningo-myelitis, j. 586. polio-encephalitis, i. 63. Adduction, as mode of measurement, vi. 224. Adductor magnus muscle, ii. 154. muscles, ii. 154, 199, 200. obliquus hallucis, ii. 163. pollicis muscle, ii. 93. localisation of fibres for, ii. 254. paralysis of, ii. 97. Adductor of foot reflex in wounds of brain, iii. 572. Adenitis, i. 557. Adenopathy, i. 544. of chancre of lip, i. 570. sutellite. i. 544. Adhesions, dense pleuro-parietal, as a result of pleuro-pulmonary wounds, vi. 874. early pleural, in pleuro-pulmonary wounds, vi. 779. Adiadococinesia, iii. 715. Adipose grafts, iv. 932, 94 ,958, 997-1003. Administration, endermic in syphilis, i. 600. of mercury, intramuscular, i. 600, objections to, i. 602, intravenous, i. 609. Adrenaline, use of, in antitetanic scro-therapy, i. 864. with quinine, in treatment of malaria, i. 1053. Adrenalized Serum, use of, in shell shock, ii. 868. Advice as to hygiene in syphilis, i. 666. to hospital patients, i. 678. Adynamic typhus, i. 466. Aerial torpedo, commotion produced
- by, ii. 451. Ætiology of fractures of the orbit, iv. 802-806.
- Affections in syphilis of auditory nerve, i. 633.
- nervous, i. 585. sensory and arsenobenzol, i. 586. statistics of cutaneous and venereal, i. 505-506.

i

treatment and tertiary, i. 643. visceral, i. 585.

Affections of visual apparatus, law governing, in injuries of orbit, iv. 813 et seq. Affective states, ii. 430. Affusions in typhoid, i. 133, 135. After effect of novarsenobenzo, injections, i. 628, 629, 630. After treatment in psychoneuroses, ii. 882. Age, in typhoid fever, a predispos-ing factor, i. 170. and vaccination, i. 275. average, i. 170. in prophylaxis, i. 225. mortality in Paris, i. 171. Aged, typhoid fever in, i. 16. Agents, antiseptic, in syphilis, i. 593. Agglutination test, in typhoid, i. 49, 116, 118. Ague, administration of quinine in, i. 1050. as a cause of mental confusion, vi. 553. in secondary paludism in malaria, i. 1006. temperature in, i. 1007. Air passages, clearing of, in dyspno.a, iv. 630. Air regulator, v. 17. Aisne Valley, tetanus in, i. 829. Albucasis on orbital lesions, iv. 778. Albuminuria in malaria, i. 988. in syphilis, i. 524, 588, 649. arsenobenzol and, i. 635. cyanide of mercury, i. 664. in typhoid, vaccination and, i. 275. Alcohol, acute mental disorders, vi. 555. as a factor in mania, vi. 543. as factor in perpetration of crimes, vi. 622. in antitoxic treatment of tetanus. i. 883. in connection with mental confusions, vi. 477. in connection with mental disorders of Army, vi. 464. influence of, in hemorrhagic pachymeningitis, vi. 587 injections of, ii. 80, 382, 383. obsession caused by, as medico-legal problem. vi. 640. Alcohol as a tonic in typhoid, i. 143. compresses, i. 139. drinking of, in syphilis, i. 667. Alcoholic patients, severity of ty-phoid fever in, i. 18. Alcoholic psychosis, vi. 555.

Alcoholism and cholera, i. 413.

Alcoholism, as affecting nerve suture, ii. 317.

in neuroses, ii. 866.

underlying cause in psychoneu-roses, ii. 828, 833. Alcoholism, chronic, in connection with military crimes, vi. 616. psychoneu-

Alcoholization of nerve in congealed hand, ii. 383.

- of nerve-trunk, Sivard's, ii. 320. Alexia, iii. 668, 674.
- in lesions of occipital lobe, iii. 688, 703.

Algias, course and prognosis of, ii. 792.

differential diagnosis, ii. 792 et seq. Lumbalgias (pseudo-Lumbago), ii. 789.

of lower extremitics, ii. 778. of neck and head, ii. 790.

- of pseudo-arthritic type, ii. 785, 787.
  - of pseudo-coxalgic type, ii. 784.
- of pseudo-cruritic type, ii. 72. of pseudo-neuritic form, ii. 785, 787.
- of pseudo-sciatic type, 781.
- of therax and abdomen, 790.
- of trunk, ii. 788.

of upper extremitics, ii. 787.

- prognosis, ii. 792. Visceral, ii. 791.
- Algid form of pernicious attacks in second phase of primary paludism in malaria, i. 1001.
- Allaire radioscopic marker, v. 190.
- Alopecia, following lesion of tri-geminal, il. 220,
- Alopecia, syphilitic, i. 521, 581, 582.
- Alquier's appliance, iv. 420, 539. Alterations in color of skin, noteworthy, ii. 14. in taste, ii. 224. in voice, ii. 225.

- Alternating electro-magnets, v. 361.
- Altona, Germany, cholera at, i. 433.
- Aluminum cassettes, v. 40. Aluminum filter in X-ray proceed-ings, v. 96.

Amaurosis, ii. 474. complete, rare, ii. 810. hysterical, ii. 475.

- Amblyopia, ii. 424, 810.
- Ambrine, application of, v. 778.

composition of, v. 777.

nature of, v. 777. substitute for, formula for, v. 783.