

**A HANDBOOK OF USEFUL DRUGS. A SELECTED  
LIST OF IMPORTANT DRUGS SUGGESTED FOR  
THE USE OF TEACHER OF MATERIA MEDICA  
AND THERAPEUTICS AND TO SERVE AS A BASIS  
FOR THE EXAMINATION IN THERAPEUTICS BY  
STATE MEDICAL EXAMINING AND LICENSING  
BOARDS**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649470426

A Handbook of Useful Drugs. A Selected List of Important Drugs Suggested for the Use of Teacher of Materia Medica and Therapeutics and to Serve as a Basis for the Examination in Therapeutics by State Medical Examining and Licensing Boards by American Medical Association

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.  
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

[www.triestepublishing.com](http://www.triestepublishing.com)

# **AMERICAN MEDICAL ASSOCIATION**

**A HANDBOOK OF USEFUL DRUGS. A SELECTED LIST OF IMPORTANT DRUGS SUGGESTED FOR THE USE OF TEACHER OF MATERIA MEDICA AND THERAPEUTICS AND TO SERVE AS A BASIS FOR THE EXAMINATION IN THERAPEUTICS BY STATE MEDICAL EXAMINING AND LICENSING BOARDS**



# A HANDBOOK OF USEFUL DRUGS

A Selected List of Important Drugs Suggested for the Use of  
Teachers of Materia Medica and Therapeutics and to  
Serve as a Basis for the Examination in Therapeutics  
by State Medical Examining and Licensing Boards

PREPARED UNDER THE DIRECTION AND  
SUPERVISION OF THE

COUNCIL ON PHARMACY AND  
CHEMISTRY

OF THE

AMERICAN MEDICAL  
ASSOCIATION

---

PRESS OF THE AMERICAN MEDICAL ASSOCIATION  
535 North Dearborn Street, Chicago  
1914

HARVARD UNIVERSITY  
SCHOOL OF MEDICINE AND PUBLIC HEALTH

LIBRARY  
Gift: Dr. Reid Hunt via WCL 11/19/47  
4 DEC 1947

22.C.1914.10

[AUTHORITY TO USE FOR COMMENT THE PHARMACOPIEA OF THE UNITED STATES OF AMERICA, EIGHTH DECENNIAL REVISION, IN THIS VOLUME, HAS BEEN GRANTED BY THE BOARD OF TRUSTEES OF THE UNITED STATES PHARMACOPIEAL CONVENTION, WHICH BOARD OF TRUSTEES IS IN NO WAY RESPONSIBLE FOR THE ACCURACY OF ANY TRANSLATION OF THE OFFICIAL WEIGHTS AND MEASURES, OR FOR ANY STATEMENT AS TO THE STRENGTH OF OFFICIAL PREPARATIONS.]

## PREFACE

It is generally recognized that a considerable proportion of the articles in the Pharmacopeia of the United States and in the National Formulary are worthless or superfluous. Repeated efforts have been made to eliminate at least the more objectionable of these articles. These efforts, however, have failed because they have uniformly encountered the objection that the articles or preparations are used by some physicians and therefore should be recognized and authoritatively defined.

The Council on Medical Education and the Confederation of State Examining and Licensing Boards have been trying to restrict instruction and examination in materia medica to the more important drugs. These efforts have suggested the desirability of selecting a fundamental list of drugs with which all medical students and practitioners might be expected to be familiar and to which, therefore, state examining and licensing boards might largely or entirely confine their examinations in materia medica.

### HOW THE LIST WAS PREPARED

A committee of the Council on Medical Education of the American Medical Association prepared a list of the more important medicaments which was submitted to the members of the National Confederation of State Medical Examining and Licensing Boards. The confederation endorsed the principle and appointed a committee to compile a list which would answer the needs of the state examining and licensing boards.

In pursuance of its fundamental aims to secure the development of a more scientific and rational system of therapeutics, the Council on Pharmacy and Chemistry took up this matter. Largely basing its selection on the conclusions of the committee of the Confederation of State Licensing and Examining Boards, it compiled a preliminary list which it submitted for general discussion. This list was sent to teachers of pharmacology and therapeutics, to deans of medical

schools, to the secretaries and members of state medical examining and licensing boards, and to others presumed to be interested in the subject, with a request for criticism and suggestions. The replies received were compiled and analyzed and a revised list prepared and again submitted. The list was further considered and revised by the Council on Pharmacy and Chemistry and was then published in a preliminary form under the title "Useful Remedies." The object of presenting the book in a tentative form was to obtain further opinions regarding the list and especially suggestions for making the permanent book of the most practical value to all concerned.

The present book has been prepared on the basis of information, advice and suggestions brought out by the preliminary work above referred to. It presents a brief but practical discussion, from the modern viewpoint, of the properties, pharmacologic action, therapeutic uses and dosage of the drugs in the list. As it contains products the value of which is generally recognized it is hoped that the book may serve as a text on which teachers of materia medica and therapeutics may base their instruction, and state examining boards their examinations.

It is confidently predicted that an intelligent and critical use of these selected drugs will prove their general sufficiency and show that many drugs now discussed in text-books are superfluous and that many newly discovered or widely exploited proprietary preparations have no advantages over those contained in this book.

In discussing pharmacologic action the endeavor has been to present the essentials, giving the details of physiologic action only when they have an evident bearing on the therapeutic uses. The latter have been given concisely, but it is hoped in sufficient detail so that no important uses have been overlooked. In dosage the average doses of the pharmacopeia have been given except in those instances in which the importance of the drug makes it necessary to enter more into detail.



Especial attention has been paid to the various methods of administration and it is hoped that the occasional suggestions for the choice of vehicle will be of service to beginners in prescription writing. For the same reason the strength of local applications has been carefully indicated. In giving apothecary and metric doses the attempt to give exact equivalents has not been made. So far as possible, the use of round numbers has been encouraged.

In spelling the book conforms to the style of THE JOURNAL of the American Medical Association, except that the official names of the U. S. Pharmacopeia have been retained in the titles.

### ABBREVIATIONS

The following abbreviations occur in the text:

U. S. P.—The Pharmacopeia of the United States of America, Eighth Revision.

N. F.—The National Formulary of Unofficial Preparations, Third Edition.

N. N. R.—New and Nonofficial Remedies, 1913.

### STATEMENT OF SOLUBILITY

For ease of reference the solubility of official articles is indicated in approximate terms in accordance with the following equivalents:

Substances that are soluble in less than

1 part of solvent = very soluble.

From 1 to 10 parts of solvent = freely soluble.

From 10 to 100 parts of solvent = soluble.

From 100 to 1,000 parts of solvent = slightly soluble.

From 1,000 to 10,000 parts of solvent = very slightly soluble.

From 10,000 to 100,000 parts of solvent = nearly insoluble.

More than 100,000 parts of solvent = practically insoluble.

## USEFUL DRUGS

**Acacia.**—Acacia, U. S. P., Gum Arabic.

A gummy exudation from *Acacia senegal* and other species of acacia.

**PROPERTIES:** Acacia occurs in colorless or pale yellowish, opaque, brittle, inodorous tears or fragments which are completely soluble in water but practically insoluble in alcohol.

**Mucilago Acaciae.**—Mucilage of Acacia, U. S. P.

A 34 per cent. solution of Acacia in a mixture of water and lime-water.

**ACTION AND USES:** Acacia and its mucilage are used as demulcents and suspending agents in the making of emulsions and mixtures.

**Acetanilidum.**—Acetanilid, U. S. P.,  $C_6H_5NH(CH_3CO)$ .

Acetanilid is the monacetyl derivative of anilin,  $C_6H_5NH_2$ .

**PROPERTIES:** Acetanilid is an odorless, crystalline powder, having a slightly burning taste. It is only slightly soluble in water (1:180), but freely soluble in alcohol (1:2.5).

**INCOMPATIBILITIES:** Acetanilid is incompatible with spirit of nitrous ether. It forms a semiliquid mass when triturated with chloral or antipyrin.

**ACTION AND USES:** Acetanilid is analgesic, antipyretic and, in excessive doses, a cardiac depressant. These effects are probably due to para-aminophenol, into which it is converted in the body. The pulse is at first quickened and later slowed by a direct action on the heart muscle. Moderate doses have little effect on the temperature of normal animals and men, but such doses cause a marked reduction of the temperature in fever. Large doses, or small doses taken habitually, convert hemoglobin into methemoglobin and may destroy the red blood-corpuscles. In poisonous doses acetanilid produces cyanosis, abnormal reduction of temperature, coldness of the extremities and profuse sweating. In individuals with an idiosyncrasy toward the drug similar symptoms may be produced by small doses. Its use should be avoided in patients who are debilitated from any cause.

Acetanilid is effective for the relief of headache and neuralgic pain, but is not suited to the treatment of pain caused by inflammation.

**DOSAGE:** 0.20 gm. or 3 grains. It is well to begin with 0.10 gm. or about 2 grains and to repeat cautiously. Formerly mixtures of acetanilid with caffeine or ammonium