

**A CENSUS OF THE
PLANTS OF
NEW SOUTH WALES**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9781760579470

A Census of the Plants of New South Wales by Charles Moore

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

CHARLES MOORE

**A CENSUS OF THE
PLANTS OF
NEW SOUTH WALES**

A CENSUS OF THE PLANTS

OF

NEW SOUTH WALES

BY

CHARLES MOORE, F.L.S., &c., &c.,
Director of the Botanic Gardens, Sydney.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.

1884.

IN compiling this Census principally from the Census of Australian Plants lately published by Baron Von Mueller, K.C.M.G., the object in view has been to provide a ready means of reference to the systematic names and authorities of all plants found hitherto in a natural or naturalized state in this Colony. The nomenclature here adopted is that of the Flora Australiensis, which has necessitated a departure in some instances from the names given in the Census of the learned Baron, but where any change of this kind has been made the Baron's designation will be found within brackets.

CENSUS OF THE PLANTS OF NEW SOUTH WALES.

CLASS I—DICOTYLEDONS.

SUB-CLASS I—POLYPETALEÆ.

Series I—Thalamifloræ.

(The plants marked thus * are naturalized.)

RANUNCULACEÆ—

- Clematis*, Linn.
 aristata, B. Br. B. fl., I, 6
 glycimoides, DC. B. fl., I, 7
 microphylla, DC. B. fl., I, 7
 Fawcetti, F. v. M. M. fr., X, 1
Myosurus, Linn.
 minimus, L. B. fl., I, 8
Ranunculus, Linn.
 aquatilis, L. B. fl., I, 10
 Millani, F. v. M. B. fl., I, 10
 anemoneus, F. v. M. B. fl., I, 11
 lappaceus, Sm. B. fl., I, 12
 Muelleri, Benth. B. fl., I, 13
 rivularis, Bks. and Sol. B. fl., I, 13
 plebeius, R. Br. B. fl., I, 13
 parviflorus, L. B. fl., I, 14

DILLENIACEÆ—

- Hibbertia*, Andr. B. fl., I, 25
 nitida, F. v. M. B. fl., I, 25
 bracteata, Benth. B. fl., I, 25
 sericea, Benth. B. fl., I, 26
 stricta, R. Br. B. fl., I, 27
 Billardieri, F. v. M. B. fl., I, 28
 acicularis, F. v. M. B. fl., I, 29
 hermannifolia, DC. B. fl., I, 30
 vestita, A. Cunn. B. fl., I, 31
 serpyllifolia, R. Br. B. fl., I, 32
 pedunculata, R. Br. B. fl., I, 32
 fasciculata, R. Br. B. fl., I, 33
 virgata, R. Br. B. fl., I, 34
 linearis, R. Br. B. fl., I, 36
 diffusa, R. Br. B. fl., I, 36
 saligna, R. Br. B. fl., I, 37
 volubilis, Andr. B. fl., I, 37
 dentata, R. Br. B. fl., I, 38
Adrastea, DC. (*Hibbertia*)
 salicifolia, F. v. M. B. fl., I, 46

MAGNOLIACEÆ—**Drimys**, Forst.

- aromatica*, F. v. M. B. fl., I, 49
dipetala, F. v. M. B. fl., I, 49
Howeana, F. v. M. M. fr., VII, 17

ANONACEÆ—**Ancana**, F. v. M.

- stenopetala*, F. v. M. M. fr., V, 27

Polyalthia, Blume.

- nitidissima*, Benth. B. fl., I, 51

Melodorum, Dun.

- Leichhardtii*, Benth. B. fl., I, 52

Eupomatia, R. Br.

- Bennettii*, F. v. M. B. fl., I, 54
laurina, R. Br. B. fl., I, 54

MENISPERMACEÆ—**Fawcettia**, F. v. M.

- tinosporoides*, F. v. M. M. fr., X, 93

Pericampylus, Miers.

- incanus*, Miers. B. fl., I, 56 (*Cocculus Moorei* F. v. M.)

Sarcopetalum, F. v. M.

- Harveyanum*, F. v. M. B. fl., I, 57

Stephania, Lour.

- hernandiifolia*, Walp. B. fl., I, 57

Carronia, F. v. M.

- multiseptata*, F. v. M. M. fr., IX, 84

NYMPHEACEÆ—**Brasenia**, Schreb.

- peltata*, Pursh. B. fl., I, 60 (*Cabomba*)

Nymphæa, Linn.

- gigantea*, Hk. B. fl., I, 61

PAPAVERACEÆ—**Papaver**, Linn.

- horridum*, DC. B. fl., I, 63

***Argemone**, Linn.

- Mexicana*, L.

CRUCIFERÆ—**Nasturtium**, R. Br.

- palustre*, DC. B. fl., I, 65 (*N. terrestre*, R. Br.)

***officinale**, R. B.**Barbarea**, R. Br.

- vulgaris*, R. Br. B. fl., I, 66

Arabis, Linn.

- glabra*, Crantz. B. fl., I, 67

Cardamine, Linn.

- stylosa*, DC. B. fl., I, 68
dictyosperma, Hk. B. fl., I, 68
laciniata, F. v. M. B. fl., I, 69
hirsuta, L. B. fl., I, 70
tenuifolia, Hk. B. fl., I, 69
eustylis, F. v. M. B. fl., I, 71

CRUCIFERE—*continued.*

- Alyssum, Linn.
 linifolium, Steph. B. fl., I, 71
- Wilkiea, Scop.
 Africana, F. v. M. M. fr., VII, 18
- Blennodia, R. Br.
 filifolia, Benth. B. fl., I, 73
 trisecta, Bth. B. fl., I, 74
 nasturtioides, Bth. B. fl., I, 74
 eremigera, Bth. B. fl., I, 74
 Luce, F. v. M. M. fr., XI, 59
 cardaminoides, F. v. M. B. fl., I, 75
 curvipes, F. v. M. B. fl., I, 75
 brevipes, F. v. M. B. fl., I, 75
 lasiocarpa, F. v. M. B. fl., I, 76
 Cunninghamii, Bth. B. fl., I, 76
 canescens, R. Br. B. fl., I, 76
 alpestris, F. v. M. B. fl., I, 77
- Stenopetalum, R. Br.
 velutinum, F. v. M. B. fl., I, 78
 lineare, R. Br. B. fl., I, 78
 sphaerocarpon, F. v. M. B. fl., I, 78
 nutans, F. v. M. B. fl., I, 79
- Geococcus, Drum.
 pusillus, Drum. B. fl., I, 80
- Menkea, Lehm.
 australis, Lehm. B. fl., I, 80
- Capsella, Mœnch.
 procumbens, Fries. B. fl., I, 81 (C. elliptica, C. A. Mey.)
 pilosula, F. v. M. B. fl., I, 82
 humistrata, F. v. M. M. fr., XI, 25
 *bursa-pastoris, Mœnch.
- Lepidium, Linn.
 leptopetalum, F. v. M. B. fl., I, 84
 phlebopetalum, F. v. M. B. fl., I, 85
 monoplocoides, F. v. M. B. fl., I, 85
 papillosum, F. v. M. B. fl., I, 86
 foliosum, Desv. B. fl., I, 86
 ruderale, L. B. fl., I, 86
 *sativum, L.
- Thlaspi, Linn.
 cochlearinum, F. v. M. B. fl., I, 88 (Capsella cochlearina, F. v. M.)
- Cakile, Tourn.
 maritima, Scopoli. M. fr., VII, 19
- *Raphanus, Linn.
 sativus, L.
 raphanistrum, L.
- *Sinapis, Linn.
 arvensis, L.
- *Brassica, Linn.
 campestris, L.
- *Sisymbrium, Linn.
 officinale, Scop.

(Sisymbrium)

(Erysimum)

CRUCIFERÆ—*continued.*

- **Senbiera*, Poir.
 didyma, Pers.
- **Camelina*, Crantz.
 dentata, Pers.

*FUMARIACEÆ—

- **Fumaria*, Linn.
 officinalis, L.

CAPPARIDÆÆ—

- Polanisia*, Rafin.
 viscosa, DC. B. fl., I, 90 (*Cleome viscosa*, L.)
- Capparis*, Linn.
 lasiantha, R. Br. B. fl., I, 94
- nobilis*, F. v. M. B. fl., I, 95
- Mitchelli*, Lindl. B. fl., I, 96
- loranthifolia*, Lindl. B. fl., I, 97
- Apophyllum*, F. v. M.
 anomalum, F. v. M. B. fl., I, 97

VIOLARIÆÆ—

- Viola*, Linn.
 betonicaefolia, Sm. B. fl., I, 99
- hederacea*, Labill. B. fl., I, 99
- Caleyana*, G. Don. B. fl., I, 100
- Ionidium*, Vent. (*Hybanthus*)
 suffruticosum, Ging. B. fl., I, 101 (*H. enneaspermus*, F. v. M.)
- floribundum*, Walp. B. fl., I, 102
- Vernonii*, F. v. M. B. fl., I, 103
- filiforme*, F. v. M. B. fl., I, 103
- Hymenanchera*, R. Br.
 dentata, R. Br. B. fl., I, 104 (*H. Banksii*, F. v. M.)

BIXINÆÆ (FLACOURTIÆÆ)—

- Scolopia*, Schreb.
 Brownii, F. v. M. B. fl., I, 107
- Xylosma*, Forst.
 ovata, Benth. B. fl., I, 108
- Streptothamnus*, F. v. M.
 Moorei, F. v. M. B. fl., I, 108
- Beckleri*, F. v. M. B. fl., I, 108

PITTOSPORÆÆ—

- Pittosporum*, Banks.
 rhombifolium, A. Cunn. B. fl., I, 110
- undulatum*, Vent. B. fl., I, 111
- revolutum*, Ait. B. fl., I, 111
- phillyræoides*, DC. B. fl., I, 112
- bicolor*, Hk. B. fl., I, 113
- erioloma*, Ch. Moore and F. v. M. M. fr., VII, 139
- Hymenosporum*, F. v. M.
 flavum, F. v. M. B. fl., I, 114
- Bursaria*, Cav.
 spinea, Cav. B. fl., I, 115
- Marianthus*, Huég.
 procumbens, Benth. B. fl., I, 117