

HAND-BOOK OF OPTICS

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649598779

Hand-Book of Optics by Dionysius Lardner

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

DIONYSIUS LARDNER

**HAND-BOOK
OF OPTICS**

⊙

A

H A N D - B O O K

OF

OPTICS.

BY DIONYSIUS LARDNER, D.C.L.

FORMERLY PROFESSOR OF NATURAL PHILOSOPHY AND ASTRONOMY
IN UNIVERSITY COLLEGE, LONDON.

ILLUSTRATED BY ONE HUNDRED AND FIFTY-EIGHT
ENGRAVINGS ON WOOD.

PHILADELPHIA:
BLANCHARD AND LEA

1859.

CONTENTS.

BOOK IX.

LIGHT.

| CHAP. I. | | | |
|--|--------------|---|-------------|
| LUMINOUS AND NON-LUMINOUS BODIES—TRANSPARENCY—OPACITY. | | | |
| Sect. | Page* | | |
| 896. Physical nature of light | 9 | | |
| 897. Bodies luminous and non-luminous | 9 | | |
| 898. Transparency and opacity | 10 | | |
| 899. No body perfectly transparent | 10 | | |
| 900. Various degrees of transparency ... | 10 | | |
| 901. Opaque bodies become transparent when sufficiently attenuated | 11 | | |
| CHAP. II. | | | |
| RECTILINEAR PROPAGATION OF LIGHT—RADIATION—SHADOWS AND PENUMBRÆ—PHOTOMETRY. | | | |
| 902. Light transmitted in straight lines .. | 11 | | |
| 903. Pencil of rays | 12 | | |
| 904. Shadow of a body | 13 | | |
| 905. Cause of penumbræ | 14 | | |
| 906. Form and dimensions of shadow .. | 14 | | |
| 907. Light diminished in brightness by distance | 15 | | |
| 908. Absolute brilliancy depends conjointly on absolute intensity and distance | 16 | | |
| 909. Effect of obliquity of the light | 16 | | |
| 910. Method of comparing the illuminating power of lights | 17 | | |
| 911. Photometry | 18 | | |
| 912. Photometer by shadows | 18 | | |
| 913. Ritchie's photometer | 18 | | |
| 914. Method of comparing absolute intensity of light | 19 | | |
| 915. Intensity of solar light | 19 | | |
| 916. Electric light | 19 | | |
| CHAP. III. | | | |
| REFLECTION OF LIGHT. | | | |
| 917. Reflection varies according to quality of surface | 20 | | |
| CHAP. IV. | | | |
| REFLECTION FROM UNPOLISHED SURFACES. | | | |
| 918. Irregular reflection | 21 | | |
| 919. Picture formed on wall by light admitted through small aperture | 21 | | |
| 920. Different reflecting powers of surfaces | 22 | | |
| 921. Deepest black reflects some light ... | 22 | | |
| 922. Irregular reflection necessary to vision | 22 | | |
| | | Sect. | Page |
| | | 923. Use of the atmosphere in diffusing light | 23 |
| | | 924. Diffusion of solar light by all opaque objects | 24 |
| | | 925. Effect of the irregular reflection of lamp-shades | 24 |
| CHAP. V. | | | |
| REFLECTION FROM PERFECTLY POLISHED SURFACES. | | | |
| | | 926. Regular reflection | 24 |
| | | 927. Mirrors and specula | 25 |
| | | 928. Law of regular reflection | 25 |
| | | 929. Experimental verification of this law .. | 25 |
| | | 930. Plane reflectors | 26 |
| | | 931. Divergent rays | 27 |
| | | 932. Image of object formed by plane reflector | 27 |
| | | 933. Series of images formed by two plane reflectors | 29 |
| | | 934. Images repeated by inclined reflectors | 29 |
| | | 935. Kaleidoscope | 30 |
| | | 936. Optical toy by multiplied reflection .. | 30 |
| | | 937. Formation of images by reflecting surfaces in general | 31 |
| | | 938. Magnified, diminished, or distorted images | 31 |
| | | 939. Cases in which no image is formed .. | 31 |
| | | 940. Conditions under which reflected rays shall have a common focus .. | 32 |
| | | 941. Elliptic reflector | 32 |
| | | 942. Parabolic reflector | 32 |
| | | 943. Experimental verification of these properties in case of elliptic reflector | 33 |
| | | 944. In case of parabolic reflector | 34 |
| | | 945. Parabolic reflector useful as burning reflector | 36 |
| | | 946. Experiment with two parabolic reflectors | 36 |
| | | 947. Reflection by elliptic or parabolic surfaces when the luminous point is not in the focus | 36 |
| | | 948. Spherical reflector | 37 |
| | | 949. Reflection of parallel rays by spherical surfaces | 36 |
| | | 950. Principal focus of spherical reflector at middle point of radius | 41 |
| | | 951. Experimental verification | 41 |
| | | 952. Aberration of sphericity | 41 |
| | | 953. Case of convex reflector | 42 |
| | | 954. Foci, real and imaginary | 43 |
| | | 955. Images formed by concave reflector .. | 42 |

* The numbers refer to the top of the page.

| Sect. | Page | Sect. | Page |
|---|------|--|------|
| 958. Case in which object is not placed on axis of reflector | 43 | 991. Why objects are distinctly seen through window-glass | 68 |
| 957. Experimental verification of these principles | 46 | 992. The angle of refraction in passing from a rarer into a denser medium, has a limit of magnitude which it cannot exceed | 63 |
| 958. Geometrical principles on which the explanation of the phenomena depends | 46 | 993. Experimental verification of this | 68 |
| 959. Concave reflectors | 47 | 994. The angle of incidence at which refraction can take place from a denser to a rarer medium, has a limit which corresponds to that of the angle of refraction in the contrary direction | 76 |
| 960. Rule to determine conjugate foci in concave spherical reflectors | 49 | 995. Total reflection takes place at and beyond this limit | 70 |
| 961. Case of converging incident rays | 52 | 996. Angle of total reflection determines the limit of possible transmission | 71 |
| 962. Convex reflectors | 52 | 997. Table showing the limits of possible transmission, corresponding to the different transparent bodies expressed in the first column | 71 |
| 963. Spherical aberration of reflectors | 54 | CHAP. VIII. | |
| 964. Case in which object placed between the principal focus and reflector | 54 | REFRACTION AT PLANE SURFACES. | |
| 965. Case in which object is not placed in the axis of the reflector | 55 | 998. Parallel rays | 73 |
| 966. Experimental verifications | 56 | 999. Parallel rays incident on a succession of parallel surfaces | 73 |
| 967. Cylindrical and conical reflectors | 56 | 1000. Mirage—Fata Morgana, &c., explained | 74 |
| CHAP. VI. | | 1001. Curious example of these phenomena | 75 |
| REFLECTION FROM IMPERFECTLY POLISHED SURFACES. | | 1002. Case in which parallel rays are incident successively on surfaces not parallel | 75 |
| 968. A perfectly reflecting surface would be invisible | 57 | 1003. Refraction by prisms | 76 |
| 969. No such surfaces exist | 57 | 1004. The refracting angle—designation of prisms | 76 |
| 970. How the surfaces of reflectors are rendered visible | 57 | 1005. Manner of mounting prisms for optical experiments | 77 |
| 971. How light incident on any opaque surface is disposed of | 58 | 1006. Effect produced on parallel rays by a prism | 77 |
| 972. Table showing the proportions of light incident on reflecting surfaces, which are regularly reflected at different angles of incidence | 58 | 1007. Condition on which the deviation of the refracted ray shall be a minimum | 79 |
| 973. Effect of angle of incidence on the quantity of light regularly reflected | 59 | 1008. How this supplies means of determining the index of refraction | 80 |
| 974. How light incident on the surface of a transparent body is disposed of | 59 | 1009. Rectangular prism used as reflector | 81 |
| 975. How light is affected in passing through the atmosphere | 59 | 1010. Diverging rays refracted at plane surfaces | 82 |
| 976. Blackened glass reflectors | 60 | 1011. Converging rays incident on plane surfaces | 83 |
| 977. Effect of a common looking-glass explained | 60 | 1012. Why water or glass appears shallower than it is | 84 |
| CHAP. VII. | | 1013. Refracting and refractive power explained | 84 |
| REFRACTION OF LIGHT. | | 1014. Absolute refracting power explained | 85 |
| 978. Refraction of light explained | 61 | CHAP. IX. | |
| 979. Law of refraction | 61 | REFRACTION AT SPHERICAL SURFACES. | |
| 980. Index of refraction | 63 | 1015. The radius of a spherical surface taken as the perpendicular to which the rays are referred | 86 |
| 981. Case of light passing from denser into rarer medium | 63 | 1016. Parallel rays | 87 |
| 982. Direction of incident and refracted rays interchangeable | 64 | 1017. First case—convex surface of denser medium | 87 |
| 983. Indices of refraction | 64 | 1018. To find the distance of the principal focus from the surface and the centre | 88 |
| 984. Rays not always bent towards perpendicular on entering a denser medium | 64 | 1019. Case in which the rays pass from the denser into the rarer medium | 88 |
| 985. Index of refraction increases with refracting power | 64 | | |
| 986. But not in proportion to it | 65 | | |
| 987. Table of the indices of refraction for light passing from a vacuum into various media | 65 | | |
| 988. How to find the index of refraction from one medium to another | 67 | | |
| 989. Course of a ray passing through a succession of media with parallel surfaces | 67 | | |
| 990. A ray having passed through several parallel surfaces, emerges parallel to its incidence | 68 | | |

| Seet. | Page |
|---|------|
| 1020. Relative position of the two principal foci | 88 |
| 1021. Second case—concave surface of a denser medium | 89 |
| 1022. Case of parallel rays passing from air to glass, or vice versa | 89 |
| 1023. Rays diverging from the principal focus of the convex surface of a denser, or the concave surface of a rarer medium, or converging to the focus of the convex surface of a rarer, or the concave surface of a denser, are refracted parallel. | 90 |
| 1024. Convergent and divergent surfaces defined | 90 |
| 1025. Effect of a spherical refracting surface on diverging and converging rays | 91 |
| 1026. How to find the focus of refraction when the focus of incidence is given | 92 |

CHAP. X.

PROPERTIES OF LENSES.

| | |
|--|-----|
| 1027. Lens defined | 93 |
| 1028. Three forms of converging lenses—Meniscus, double-convex, and plano-convex | 94 |
| 1029. Three forms of diverging lenses—Concave-convex, double-concave, and plano-concave | 95 |
| 1030. The axis of a lens | 96 |
| 1031. Effect produced by lens on incident rays | 96 |
| 1032. To determine the principal focus of a lens | 98 |
| 1033. The focal length of a lens | 98 |
| 1034. The meniscus, double-convex, and plano-convex, are diverging lenses | 98 |
| 1035. The concavo-convex, double-concave, and plano-concave, are diverging lenses | 99 |
| 1036. Case of a lens with equal radii and convexities in the same direction | 99 |
| 1037. Lenses may be solid or liquid | 100 |
| 1038. Rules for finding the focal length of lenses of glass | 100 |
| 1039. Case of secondary pencils | 102 |
| 1040. Field of lens | 103 |
| 1041. Images formed by lenses | 103 |
| 1042. Every lens, whatever be its form, can be represented by a double-convex or double-concave lens, with equal radii | 103 |
| 1043. Image formed by double-convex lens | 103 |
| 1044. Conditions which determine the magnitude of the image | 104 |
| 1045. Images of very distant objects are formed at the principal focus | 105 |
| 1046. Experimental illustration | 106 |
| 1047. Images formed by concave lenses | 107 |
| 1048. Spherical aberration | 108 |
| 1049. Longitudinal and lateral aberrations | 109 |
| 1050. Experimental illustration | 109 |
| 1051. Magnitude of spherical aberration in different forms of lenses | 110 |

CHAP. XI.

ANALYSIS OF LIGHT.

| Seet. | Page |
|--|------|
| 1052. Solar light a compound principle | 110 |
| 1053. The prismatic spectrum | 111 |
| 1054. Composition of solar light | 112 |
| 1055. Experiments which confirm the preceding analysis of light | 113 |
| 1056. Experimental proof by recombination | 115 |
| 1057. Lights of the same colour may have different refrangibilities | 117 |
| 1058. Colours produced by combining different rays of the spectrum | 118 |
| 1059. Complementary colours | 118 |
| 1060. Colours of natural bodies generally compound | 118 |
| 1061. Method of observing the spectrum by direct vision | 119 |
| 1062. Why objects seen through prisms are fringed with colour | 119 |
| 1063. Law of refraction applied to compound solar light | 121 |
| 1064. Dispersion of light | 123 |
| 1065. Mean refraction | 123 |
| 1066. Dispersive power | 123 |
| 1067. Table of the indices of refraction of the mean rays of each of the prismatic colours for certain media | 125 |
| 1068. Dispersion of each component colour, how found | 126 |
| 1069. Light uniformly refrangible, not necessarily simple | 126 |
| 1070. Sir David Brewster's analysis of the spectrum | 126 |

CHAP. XII.

SPECTRAL LINES—PHOTOMETRY, THERMAL, AND CHEMICAL PROPERTIES OF THE SPECTRUM.

| | |
|--|-----|
| 1071. Number of spectral lines | 129 |
| 1072. Manner of observing the spectral lines | 130 |
| 1073. Spectral lines of artificial lights, and of the moon, planets, and stars | 131 |
| 1074. Use of spectral lines as standards of refrangibility | 131 |
| 1075. Relative intensity of light in different parts of the spectrum | 132 |
| 1076. Relative calorific intensity of the spectral rays | 132 |
| 1077. Relative chemical intensity of the spectral rays | 133 |

CHAP. XIII.

CHROMATIC ABERRATION.—ACHROMATISM.

| | |
|---|-----|
| 1078. Chromatic aberration of lenses | 133 |
| 1079. Aberration of a diverging lens | 136 |
| 1080. Images formed by single lenses must always be coloured | 136 |
| 1081. Conditions under which combined lenses may be rendered achromatic | 137 |

CHAP. XIV.

THE EYE.

| | |
|---|-----|
| 1082. Sense of sight an extensive source of knowledge | 139 |
| 1083. Knowledge of the structure of the eye necessary to comprehend optical instruments | 140 |

| Sect. | Page. | Sect. | Page |
|---|-------|---|------|
| 1084. Structure of the eye | 140 | 1127. Example of the human figure.... | 155 |
| 1085. The sclerotics and cornea | 141 | 1128. Sufficiency of illumination | 158 |
| 1086. Aqueous humour—iris—pupil | 141 | 1129. The eye has power of accommoda- tion to different degrees of illu- mination | 156 |
| 1087. The crystalline humour—ciliary processes | 141 | 1130. Relative brilliancy of equidistant luminaries—Brightness of the picture on the retina | 157 |
| 1088. The choroid | 141 | 1131. Apparent brightness the same at all distances | 157 |
| 1089. The retina—the vitreous humour | 142 | 1132. If the distance of the sun were increased or diminished, its ap- parent magnitude would be changed, but its apparent bright- ness would remain the same.... | 158 |
| 1090. The optic axis—the optic nerve.... | 142 | 1133. An object may be visible even though it have no sensible visual magnitude | 158 |
| 1091. Numerical data connected with the human eye | 142 | 1134. By increase of distance, however, such objects may cease to affect the retina sensibly | 159 |
| 1092. Limits of the play of the eye | 143 | 1135. Intensity of illumination neces- sary to produce sensation depends on relative splendour of other objects present before the eye .. | 159 |
| 1093. The eye not perfectly achromatic. | 143 | 1136. The image must continue a suf- ficient time upon the retina to enable that membrane to pro- duce a perception of it | 160 |
| 1094. But must be nearly so | 143 | 1137. To determine experimentally the time a picture must continue on the retina to produce sensation .. | 161 |
| 1095. Spherical aberration of the eye oc- curred | 144 | 1138. The perception of a visible object is continued for a certain time after the object is removed from before the eye | 161 |
| 1096. Effect of an illuminated object placed before the eye | 144 | 1139. Experimental illustration of this. . | 161 |
| 1097. Image formed within the eye | 144 | 1140. Why we are not sensible of dark- ness when we wink | 162 |
| 1098. Experimental proof of its exist- ence | 145 | 1141. Experimental illustration sug- gested by Sir D. Brewster | 162 |
| 1099. Immediate cause of vision | 145 | 1142. Why a lighted stick revolving pro- duces apparently a luminous ring | 162 |
| 1100. Conditions of perfect vision | 145 | 1143. Why a flash of lightning appears as a continued line of light.... | 163 |
| 1101. Distinctness of the image | 145 | 1144. Why an object moving at a great speed becomes invisible | 163 |
| 1102. Effects of distant and near ob- jects | 145 | 1145. Example of a cannon-ball | 163 |
| 1103. Position of optical centre of eye . | 146 | 1146. Quickness of vision depends on colour, brightness, and magni- tude | 163 |
| 1104. Optical remedies for defects in the refracting powers of the eyes .. | 146 | 1147. Conditions which determine appa- rent motion | 163 |
| 1105. Power of the eye to adapt itself to objects differently distant | 147 | 1148. How apparent motion is affected by distance | 164 |
| 1106. Experimental proof of this power .. | 147 | 1149. Example of a cannon-ball, &c. .. | 164 |
| 1107. Hypotheses explaining this power .. | 147 | 1150. What motions are imperceptible. . | 165 |
| 1108. Explanation proposed by Poullet. . | 148 | 1151. Why the diurnal motion of the heavens is not immediately per- ceptible | 165 |
| 1109. Limits of the power of adaptation to varying distance | 149 | 1152. Why objects in extremely rapid motion are not perceived .. . | 165 |
| 1110. Case of eyes having feeble con- vergent power | 150 | 1153. The duration of the impression on the retina varies with the bright- ness of the object | 166 |
| 1111. Case of eyes having strong con- vergent power | 150 | 1154. And also with its colour | 166 |
| 1112. Method of ascertaining power of lens required by defective eyes .. | 150 | 1155. And with the brightness of the sur- rounding space | 166 |
| 1113. Power of adaptation to varying distance in short-sighted eyes .. | 150 | 1156. Optical toys, chiasmata, &c. .. | 166 |
| 1114. Causes of short sight and long sight | 151 | 1157. The direction in which objects are seen | 167 |
| 1115. Defective sight arising from im- perfect transparency of the hu- mours | 151 | | |
| 1116. Magnitude of the image on the retina | 151 | | |
| 1117. The visual angle or apparent mag- nitude | 152 | | |
| 1118. Apparent magnitude increases in proportion as the distance dimi- nishes, and vice versa | 153 | | |
| 1119. Case of the sun and moon illus- trates this | 153 | | |
| 1120. Apparent magnitude corresponds with the real magnitude of the picture on the retina | 153 | | |
| 1121. The apparent magnitude of an ob- ject diminished by removing it from the eye | 153 | | |
| 1122. Apparent superficial magnitude .. | 154 | | |
| 1123. Section of vision | 154 | | |
| 1124. The smallest magnitudes which can be distinctly seen | 154 | | |
| 1125. Distinctness of vision compared with the magnitude of the pic- tures on the retina | 155 | | |
| 1126. Example of the picture of the full moon on the retina | 155 | | |

CONTENTS.

7

| Sect. | Page | Sect. | Page |
|--|------|---|------|
| 1152. Why the motion of the eye-ball does not produce any apparent motion in the object seen..... | 167 | 1194. Case in which the eyes of the same person have different refractive power..... | 192 |
| 1153. Ocular spectra and accidental colours..... | 169 | 1195. Apparatus for comparing the power of vision of the two eyes..... | 192 |
| 1160. Experiments of Sir D. Brewster on ocular spectra..... | 170 | 1196. Method of adapting spectacles to eyes with unequal powers of vision..... | 194 |
| 1161. Why visible objects do not appear inverted..... | 171 | 1197. Remarkable case of vision defective in different degrees in different directions..... | 194 |
| 1162. The seat of vision..... | 171 | 1198. Camera lucida..... | 194 |
| 1163. Light and colour acting directly on the retina produce no sensation..... | 172 | 1199. Camera obscura..... | 195 |
| 1164. The optic nerve is insensible when it does not cover the choroid..... | 172 | 1200. Magic lantern..... | 197 |
| 1165. Experiment of Sir D. Brewster to confirm this..... | 173 | 1201. Phantasmagoria..... | 199 |
| 1166. Why objects are not seen double..... | 173 | 1202. Dissolving views..... | 199 |
| 1167. Exceptional cases in which objects are seen double..... | 175 | 1203. Simple microscope..... | 200 |
| 1168. The eye supplies no direct perception of figure, magnitude, or distance..... | 178 | 1204. How simple microscopes are adapted to different eyes..... | 201 |
| 1169. Manner of estimating the real distance..... | 178 | 1205. Magnifying power explained..... | 201 |
| 1170. Appearance of the sun and moon when rising or setting..... | 179 | 1206. Apparent brightness is diminished as the square of the magnifying power is increased..... | 202 |
| 1171. Method of estimating by sight the magnitude of distant objects..... | 179 | 1207. Compound microscope..... | 203 |
| 1172. Singular illusion produced in St. Peter's at Rome..... | 180 | 1208. Compound universal microscope of Charles Chevalier..... | 205 |
| 1173. Real magnitude may sometimes be inferred from apparent magnitude..... | 180 | 1209. Application of the camera lucida to the microscope..... | 207 |
| 1174. The eye not perceiving direct distance, can have no perception of any motion but angular motion of which it is the centre..... | 181 | 1210. Method of determining the magnifying power..... | 208 |
| 1175. Real direction of motion may be inferred by comparing apparent motion with apparent magnitude..... | 181 | 1211. Solar microscope..... | 209 |
| 1176. Examples of the sun and moon..... | 182 | 1212. The telescope..... | 210 |
| 1177. How the apparent motion of an object is affected by the motion of the observer..... | 182 | 1213. Gregorian reflecting telescope..... | 211 |
| 1178. Examples of railway trains..... | 182 | 1214. Cassegrain's reflecting telescope..... | 212 |
| 1179. Compound effects of the motion of the observer and the object observed..... | 183 | 1215. Newtonian reflecting telescope..... | 212 |
| 1180. Examples of the planetary motions..... | 183 | 1216. Herschel's telescope..... | 213 |
| 1181. Angular or visual distances..... | 184 | 1217. Galilean telescope—Opera-glass..... | 213 |
| 1182. Vision affords no direct perception of bulk or form..... | 184 | 1218. Astronomical telescope..... | 214 |
| 1183. Visible area..... | 185 | 1219. Terrestrial telescope..... | 215 |
| 1184. How the shape is inferred from lights and shades..... | 185 | | |
| 1185. Power of perceiving and distinguishing colours improved by exercise and experience..... | 186 | | |
| 1186. Of certain defects in vision..... | 186 | | |
| 1187. Curious examples of defective eyes..... | 186 | | |
| CHAP. XV. | | | |
| OPTICAL INSTRUMENTS. | | | |
| 1188. Spectacles..... | 188 | | |
| 1189. Periscope spectacles..... | 189 | | |
| 1190. Weak sight and short sight..... | 189 | | |
| 1191. Spectacles for weak-sighted eyes..... | 189 | | |
| 1192. How to determine the refractive power of weak-sighted eyes..... | 190 | | |
| 1193. Spectacles for near-sighted eyes..... | 191 | | |
| | | 1220. Ordinary reflection and refraction explicable, independent of theories..... | 216 |
| | | 1221. Two theories of light..... | 216 |
| | | 1222. Corpuscular theory..... | 216 |
| | | 1223. Difference of colour explained..... | 217 |
| | | 1224. Laws of reflection and refraction explained..... | 217 |
| | | 1225. Undulatory theory..... | 217 |
| | | 1226. The luminous ether..... | 217 |
| | | 1227. Effects ascribed to its varying density..... | 218 |
| | | 1228. Analogy of light and sound..... | 218 |
| | | 1229. The undulatory theory affords a more complete explanation of the phenomena..... | 219 |
| CHAP. XVII. | | | |
| INTERFERENCE AND INFLECTION. | | | |
| | | 1230. Fresnel's experiments exhibiting effects of interference of light..... | 219 |
| | | 1231. Phenomena of interference exhibited in case of homogeneous light..... | 220 |
| | | 1232. How the phenomena of interference are affected by the different refrangibilities of different homogeneous lights..... | 224 |
| | | 1233. The lengths of the undulations of different homogeneous lights..... | |

| Sect. | Page | Sect. | Page |
|---|------|--|--|
| | | | ing angle for different reflecting surfaces..... 248 |
| 1234. Effects of the interference of compound solar light..... | 225 | 1271. Table showing the polarizing angle of certain media..... | 248 |
| 1235. Inflection or diffraction of light..... | 226 | 1272. Effects of reflection on polarized light..... | 250 |
| 1236. Combined effects of inflection and interference..... | 227 | 1273. Effects of ordinary refraction on polarized light..... | 251 |
| 1237. Examples of the effects of inflection and interference..... | 227 | 1274. Composition of unpolarized light..... | 251 |
| 1238. Phenomena of interference of light reflected and refracted by their transparent laminae..... | 228 | 1275. Polarization by double refraction..... | 251 |
| 1239. Iridescence of fish-scales, soap-bubbles, mother-of-pearl, feathers, &c., explained..... | 228 | 1276. Partial polarization..... | 252 |
| 1240. Newton's illustration of the physical laws of such phenomena..... | 228 | 1277. Polarization by successive refractions..... | 252 |
| 1241. Newton's coloured rays explained by interference..... | 229 | 1278. Effect of tourmaline on polarized light..... | 253 |
| CHAP. XVIII. | | | |
| DOUBLE REFRACTION. | | | |
| 1242. Transparent media resolved into two classes..... | 230 | 1279. Polarization by absorption..... | 254 |
| 1243. Single refracting media..... | 230 | 1280. Polarization by irregular reflection..... | 254 |
| 1244. Double refracting media..... | 230 | 1281. Interference of polarized pencils..... | 254 |
| 1245. Effects of an uncrystallized medium on light..... | 230 | 1282. Compound solar light cannot be completely polarized by reflection, but may be nearly so..... | 255 |
| 1246. Effects of certain crystallized media on light..... | 230 | 1283. Absence of complete polarization rendered evident by tourmaline..... | 255 |
| 1247. The ordinary and extraordinary rays..... | 233 | 1284. Effect of double refracting crystal on polarized light..... | 256 |
| 1248. The axis of double refraction..... | 233 | 1285. Effects produced by a second double refracting crystal..... | 256 |
| 1249. Laws of double refraction..... | 234 | CHAP. XX. | |
| 1250. Positive and negative crystals..... | 234 | CHROMATIC PHENOMENA OF POLARIZED LIGHT. | |
| 1251. All lines parallel to the axis of double refraction are themselves axes of double refraction..... | 235 | 1286. Chromatic phenomenon explicable by undulatory hypothesis..... | 261 |
| 1252. Axis of double refraction coincides with crystallographic axis..... | 235 | 1287. Effects produced by the transmission of polarized light through thin double refracting plates..... | 261 |
| 1253. Case of Iceland spar..... | 236 | 1288. Coloured rings and crosses explained..... | 262 |
| 1254. Description of phenomena of double refraction in uniaxial crystal..... | 236 | 1289. Method of observing and analysing these phenomena..... | 263 |
| 1255. Table of uniaxial crystals..... | 237 | 1290. Effect of rock crystal..... | 264 |
| 1256. Crystals having two axes of double refraction..... | 238 | 1291. Effect of Iceland spar enclosed between two plates of tourmaline..... | 265 |
| 1257. Table of biaxial crystals..... | 239 | 1292. Effects produced by other uniaxial crystals..... | 266 |
| 1258. Images formed by double refracting crystals..... | 240 | 1293. Effect of biaxial crystals, &c..... | 266 |
| 1259. Ordinary and extraordinary image..... | 241 | 1294. Effect of carbonate of lead..... | 267 |
| 1260. Separation of the images dependent on thickness of crystal..... | 241 | 1295. Coloured bands produced by an acute prism of rock crystal..... | 267 |
| 1261. Case in which two similar crystals neutralize each other..... | 242 | 1296. Polarizing structure artificially produced in glass, and other media..... | 268 |
| 1262. Cases in which four images are formed by the combination of two similar crystals..... | 243 | CHAP. XXI. | |
| 1263. Their successive positions..... | 243 | CIRCULAR POLARIZATION. | |
| 1264. Position of axes different for different coloured lights in biaxial crystals..... | 243 | 1297. Cases in which the change of the plane of polarization varies with the thickness of the crystal..... | 269 |
| 1265. Double refracting structures produced by artificial processes..... | 244 | 1298. The angle through which the plane is turned, varies with the refrangibility of the light..... | 269 |
| CHAP. XIX. | | | |
| POLARIZATION OF LIGHT. | | | |
| 1266. Properties of polarized light..... | 245 | 1299. This plane may make a complete revolution if the thickness of the crystal be sufficient..... | 270 |
| 1267. Angle of polarization..... | 246 | 1300. Angles through which the plane is turned by a crystal of quartz..... | 270 |
| 1268. Polariscopes..... | 246 | 1301. Effect of amethyst..... | 270 |
| 1269. Polarization by reflection..... | 247 | 1302. Circular polarization in liquids and gases..... | 271 |
| 1270. Method of determining the polarizing angle for different reflecting surfaces..... | 248 | 1303. Magnetic circular polarization..... | 271 |
| 1271. Table showing the polarizing angle of certain media..... | 248 | Practical questions for the Student..... | 272 |
| 1272. Effects of reflection on polarized light..... | 250 | | 478 |
| 1273. Effects of ordinary refraction on polarized light..... | 251 | | |
| 1274. Composition of unpolarized light..... | 251 | | |
| 1275. Polarization by double refraction..... | 251 | | |
| 1276. Partial polarization..... | 252 | | |
| 1277. Polarization by successive refractions..... | 252 | | |
| 1278. Effect of tourmaline on polarized light..... | 253 | | |
| 1279. Polarization by absorption..... | 254 | | |
| 1280. Polarization by irregular reflection..... | 254 | | |
| 1281. Interference of polarized pencils..... | 254 | | |
| 1282. Compound solar light cannot be completely polarized by reflection, but may be nearly so..... | 255 | | |
| 1283. Absence of complete polarization rendered evident by tourmaline..... | 255 | | |
| 1284. Effect of double refracting crystal on polarized light..... | 256 | | |
| 1285. Effects produced by a second double refracting crystal..... | 256 | | |