INDEX TO VOLS. I-X OF THE ANNALS OF BOTANY (1887-1896)

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649347841

Index to Vols. I-X of the Annals of Botany (1887-1896) by T. G. Hill

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

T. G. HILL

INDEX TO VOLS. I-X OF THE ANNALS OF BOTANY (1887-1896)



Index to Vols. I-X

OF THE

ANNALS OF BOTANY

(1887 - 1896)

PREPARED BY T. G. HILL, A.R.C.S.

UNDER THE DIRECTION OF THE EDITORS

Bondon

HENRY FROWDE, M.A., AMEN CORNER, E.C. OXFORD: CLARENDON PRESS DEPOSITORY, 116 HIGH STREET

1901

OXFORD: HORACE HART, M A. PRINTER TO THE UNIVERSITY



EDITORIAL NOTE

In the preparation of this Index the aim has been to include, in addition to titles and authors' names, the *principal* subjects dealt with in each paper.

As regards taxonomic articles, all *new* species, and all species which are *described* are included. The same principle is applied to structural and physiological contributions; all species as to which original observations are recorded have been entered in the Index.

On the other hand species which are not new, and which are merely mentioned or enumerated without any description or observation being recorded, are omitted. They will be found under more general headings, e. g. 'Liliaceae occurring in Lord Howe Island.'

In every case where a species is entered in the Index, its synonyms, so far as they occur in the Annals, are also included.

The Index might easily have been made much fuller than it is, but it is hoped that enough has been included to serve the purpose of the working botanist, who desires to have easy access to all original or critical work which has appeared in the Annals of Botany during the first ten years of its existence.

es ::

INDEX

TO

ANNALS OF BOTANY

VOLS. I—X (1887-1896).

[Synonyms are indicated by italics. An asterisk (*) indicates an illustration, and a dagger (†) a palaeobotanical article.]

Absorption of water and its relation to the constitution of the cell-wall in Mosses (J. R. VAIZEY), i. 147.

Absorption of water by dead roots (W. WATSON), viii. 119; in Polytrichum commune, i. 148 et per, in Polytrichum formosum, i. 148.

Absorptive organ of Trapella (*), ii. 90.

Abutilon albidum, pollination (*), v. 338.

Acacia lophocantha, respiration of wounded leaves, x. 575.

— pentaptera, cork-formation in thorns, vi. 160.

Acalypha indica, flowers (C. B. CLARKE) (*), i. 359.

Acanthaceae occurring in Lord Howe Island, x. 247.

Acantholimon glumaceum, stem-structure (*), v. 289.

— mucilage-glands (*), iv. 245.

Achillea Millefolium, insect-visitors, ix. 238.

Achlya, spore-formation, ii. 203 et seq.

Acrostichum borbonicum, sp. n., description, v. 491.

— fimbriatum, description, v. 493.

— Galvinii, description, v. 493.

— Lastii, sp. n., description, v. 495.

— lepidoglossum, sp. n., description, v. 490.

— maximum, sp. n., description, v. 490.

— Miersii, sp. n., description, v. 493.

— Rawsoni, sp. n., description, v. 493.

— Rawsoni, sp. n., description, v. 494.

Sherringii, sp. n., description, v. 494.

Sherringii, sp. n., description, v. 169.

Actinidia lanata, description, ix. 146.

Acton, E. H.—Changes in the Reserve-Materials of Wheat on keeping,

B

vii. 383.

```
ACTON, E. H .- On the formation of sugars in the septal glands of Narcissus
 (with woodcuts 1-6), ii. 53.

Adenandra obtusata, pollination, v. 340.

Adiantum gomphophyllum, sp. n., description, viii. 124.

— hians, description, v. 207.
                  Levingei, sp. n., description, v. 207.

    neo-guineense, description, v. 208.

pilosum, sp. n., description, v. 207.
pilosum, sp. n., description, v. 206.
stenochlamys, sp. n., description, v. 209.
Williamsii, description, v. 207.
Aecidium, Presence of sexual organs in (G. MASSER) (*), ii. 47.
 Aegialitis, mucilage-glands (*), iv. 244.

Aethophyllum, notes on (†), x. 211.

Africa, South, Ornithophilous Flowers in (G. F. SCOTT-ELLIOT) (*), iv.
 Agaricus, centrospheres in (*), viii. 322.
—— stercorarius, nuclei of basidia, vi. 146.
 Agathosma elegans, pollination, v. 340.
Agrostophyllum formosanum, description, ix. 157.
Ährling, Johann Erik Ewald. Obituary notice, ii. 393.
Ailanthus malabarica, corky thorns, a correction, x. 98.
Artchson, J. E. T.—The source of Badsha or Royal Salep (with Plate X),
 iii. 149.
Alaria esculenta, Grev., and Saccorhiza bulbosa, J. G. Ag., Note on (R. W.
PHILLIPS), x. 96.

— intercalary growth, x. 97.

Albuca major, pollination (*), v. 392.

Albuminate of flour and gluten, relation between the, ix. 206.

Aleurites, On the extra-floral nectaries of (P. GROOM), viii. 228.

Aleurone-grains in the Lupin, Development of (A. B. RENDLE) (*), ii. 161.

— of Gramineae, historical, ix. 211; structural, ix. 221.

Aleurone-Layer of the seed of Grasses, The (P. GROOM), vii. 387.

— of wheat, ix. 214.
 — of wheat, ix. 214.
Alexipharmics or Snake-bite Antidotes, Use of certain plants as (D. MORRIS),
 i. 153.
Algae, British Marine, Revised list of (E. M. HOLMES and E. A. L. BATTERS),
v. 63; appendix, v. 518.

New Marine (E. M. HOLMES) (*), viii. 335.

On some new British Marine (E. A. L. BATTERS) (*), ix. 307.

Some new British (E. A. L. BATTERS), ix. 168.

Algological notes (A. W. BENNETT) (*), vi. 150.
Alkachlorophyll, preparation, &c., vi. 240.

Alkium Cepa, nuclear division (*), ix. 563 et seq.

— giganteum, bulb (*), iii. 152.

— leaf, i. 136.
— leaf, i. 136.

— Macleanii, bulb (*), iii. 151.

Alocasia 19., laticiferous tissue in leaf, iii. 447.

Alpinia mutica, development of seed (*), x. 25.

Alsophila Elliottii, 19. n., description, v. 196.

— formosana, 19. n., description, v. 196.

— philippinensis, description, v. 186.

— Ridlevi, 19. n., description, viii. 122.

— trichophlebia, 19. n., description, v. 189.
```

```
Alternation of Generations, viii. 282, 343.

— of Generations, Antithetic (J. BEARD), ix. 441.

— of Generations in Green Plants (J. R. VAIZEY), iv. 371.

— of Generations in Plants, On Antithetic as distinct from Homologous
 (F. O. Bower), iv. 347.

Amarantaceae occurring in Lord Howe Island, x. 249.
  Amaryllidaceae occurring in Lord Howe Island, x. 253.
 Amherstia nobilis, experiments on foliage, ix. 63 et seq.; hanging foliage (*),
             ix. 59.
Amonum elongatum, development of the seed (*), x. 25.
Amphicosmia Walkerae, leaf-apex, iii. 332; stem-apex (*), iii. 321.
Amphithalea ericaefolia, pollination (*), v. 344.
Anatomy of Plants, On some recent progress in our knowledge of the (D. H. Scott), iv. 147.
  Androcymbium leucanthum, pollination (*), v. 393.
 Anemone capensis, pollination, v. 334.

Aneura multifida, nuclear division (*), ix. 489; spore-formation (*), viii.
Aneura initiation in the teat division (*), in. 499, spotestimation (*), vin. 499, ix. 489.

Aneura pinguis, spore-formation, viii. 50.

Angelica sylvestris, insect-visitors, ix. 244.

Angiopteris evecta, antheridia and archegonia (*), vi. 266; development of wings of leaf (*), iii. 357; leaf-apex (*), iii. 337; stem-apex (*), iii. 323.

— evecta, On the embryogeny of (J. B. Farmer) (*), vi. 265.

Angraecum superbum, pollination (*), v. 378.

Aniline, On the action of, on Green Leaves and other Parts of Plants (E. Schunck and G. Brenner) (*), vi. 167.

Anilophyll, properties, &c., iii. 108, vi. 168.

Anilogonium Godmani, sp. n. (*), v. 166.

Anodendron oblongifolium, sp. n., description, v. 505.

Anomalous cells in vascular and cellular Tissue of Fossil plants of coal measures (W. C. WILLIAMSON) (* †), i. 315.

— thickening in the roots of Cycas Seemanni (W. H. GREGG) (*), i. 63.

Anthocoma flavescens, Zoll., On the synonymy of (D. Prann), vi. 214.

Antholyza aethiopica, pollination, iv. 277.
              49, ix. 489.
 Antholyza aethiopica, pollination, iv. 277.

Anthurium crassinervium, laminal enations from the leaves, iii. 439.
 — traumatropic curvature of aerial root (*), viii. 430.
Antrophyum minimum, sp. n., description, v. 488.
Antithetic alternation, viii. 343.
— Alternation of Generations (J. BEARD), ix. 441.
— and Homologous theories, viii. 367.
              - as distinct from homologous Alternation of Generations in Plants
 (F. O. BOWER), iv. 347.

Apical cell of Fucus (W. WOODWORTH) (*), i. 203.

Apical meristem in the roots of Pontederiaceae (S. Schönland) (*),
 L 179.

— of root of Eichhornia (*), i. 180 et seq.

Apocynaceae occurring in Lord Howe Island, x. 243.
Apocynum cannabinum, stem-structure (*), v. 283.

Apogamy in Lemanea (*), iv. 211; in Saprolegnia, ix. 637; in Trichomanes alatum (*), i. 287 et seq.

Aposporous developments in Ferns, Note on attempts to induce (F. O.
             Bower), iv. 168.

— growths on Trichomanes alatum (*), i. 279.
```