

**CATALOGUE OF DIURNAL  
LEPIDOPTERA OF THE FAMILY  
SATYRIDAE IN THE COLLECTION  
OF THE BRITISH MUSEUM**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649413881

Catalogue of Diurnal Lepidoptera of the Family Satyridae in the Collection of the British Museum by Arthur Gardiner Butler

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.  
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

[www.triestepublishing.com](http://www.triestepublishing.com)

**ARTHUR GARDINER BUTLER**

**CATALOGUE OF DIURNAL  
LEPIDOPTERA OF THE FAMILY  
SATYRIDAE IN THE COLLECTION  
OF THE BRITISH MUSEUM**



CATALOGUE  
OF  
DIURNAL LEPIDOPTERA  
OF THE FAMILY  
SATYRIDÆ

IN THE  
COLLECTION  
OF THE  
BRITISH MUSEUM.

*(Nat. Hist) Dept  
of Zool.*

BY  
ARTHUR GARDINER BUTLER, F.L.S., F.Z.S., &c.

LONDON:  
PRINTED BY ORDER OF THE TRUSTEES.  
1868.

NO

PRINTED BY TAYLOR AND FRANCIS,  
RED LION COURT, FLEET STREET.

026 p. 1678.

## PREFACE.


THE object of the present Catalogue is to give a complete list of all the genera and species of Satyridæ known to exist in the cabinets of European and American entomologists.

The localities given chiefly apply to the specimens in the National Collection; the letters B.M. after the species denote the specimens now contained in the British Museum; and the absence of these *letters* indicates the species which are desiderata, and therefore desirable to be procured for the Collection.

JOHN EDWARD GRAY.

British Museum,  
Feb. 20, 1868.

Revised 2.20.34 X.M.F.





v

EXPLANATION OF THE PLATES.

---

Fig.	I.	Page
1.	<i>Taygetis excavata, Butl.</i> .....	8
2.	— <i>erubescens, Butl.</i> .....	10
3.	— <i>armillata, Butl.</i> .....	8
4.	<i>Euptychia rustica, Butl.</i> .....	32
5.	<i>Taygetis Euptychidia, Butl.</i> .....	13
6.	— <i>nymphosa, Butl.</i> .....	10
7.	— <i>nympha, Butl.</i> .....	9
II.		
1.	<i>Melanitis Gnophodes, Butl.</i> .....	5
2.	( <i>Eneis gigas, Butl.</i> .....	161
3.	<i>Lethe arcuata (= arete, Cramer)</i> .....	114
4.	<i>Erites elegans, Butl.</i> .....	147
5.	<i>Paramacera Xicaque, Reakirt</i> .....	99
6.	<i>Erebia mantoïdes, Butl.</i> .....	87
7.	— <i>Hispania, Butl.</i> .....	86
8.	— <i>fasciata, Butl.</i> .....	92
9.	— <i>epispedea, Butl.</i> .....	80
10.	( <i>Eneis assimilis, Butl.</i> .....	163
11.	<i>Tetraphlebia plumbeola, Butl.</i> .....	95
12.	<i>Leptoneura cassina, Butl.</i> .....	72
III.		
1.	<i>Mycalesis saga, Butl.</i> .....	130
2.	— <i>vulgaris, Butl.</i> .....	130
3.	<i>Epinephele pallescens, Butl.</i> .....	65
4.	<i>Mycalesis Junonia, Butl.</i> .....	146
5.	— <i>Felderi, Butl.</i> .....	144
6.	— <i>auricruda, Butl.</i> .....	131
7.	— <i>Semperi, Butl.</i> .....	137
7a.	— — (anal valves of ♂, magnified).	
8.	— <i>angulosa, Butl.</i> .....	130
9.	— <i>mandosa, Butl.</i> .....	139
10.	— <i>Madjicosa, Butl.</i> .....	137
11.	— <i>æthiops, Butl.</i> .....	141
12.	— <i>justinella, Butl.</i> .....	135
13.	— <i>fraterna, Butl.</i> .....	145
14.	— <i>malsarida, Butl.</i> .....	134

## IV.

Fig.	Page
1. <i>Argyrophorus Williamsianus</i> , <i>Bull.</i> .....	169
2. <i>Oreoschistus simplex</i> , <i>Bull.</i> .....	180
3. <i>Lymanopoda ferruginosa</i> , <i>Bull.</i> .....	189
4. <i>Lasiophila Hewitsonia</i> , <i>Bull.</i> .....	182
5. <i>Lymanopoda venosa</i> , <i>Bull.</i> .....	171
6. — <i>Acrsida</i> , <i>Bull.</i> .....	171
7. <i>Pedaliodes angularis</i> , <i>Bull.</i> .....	178
8. — <i>granulata</i> , <i>Bull.</i> .....	173
9. <i>Hypocysta antirius</i> , <i>Bull.</i> .....	168
10. <i>Pronophila obscura</i> , <i>Bull.</i> .....	184

## V.

1. <i>Hipio Cramerii</i> , <i>Bull.</i> .....	5
2. <i>Anchiphlebia Taygetina</i> , <i>Bull.</i> .....	107
3. — (neurulation of archæa, <i>Hübner</i> ) .....	106
4. <i>Cœnonympha marginalis</i> , <i>Bull.</i> .....	42
5. <i>Euptychia perfuscata</i> , <i>Bull.</i> .....	18
6. <i>Lasiophila orbifera</i> , <i>Bull.</i> .....	182
7. <i>Staroma superba</i> , <i>Bull.</i> .....	172
8. <i>Erites argentina</i> , <i>Bull.</i> .....	188

## ERRATA.

- Page 14. For "Typical Species *Euptychia Horæ*," read "Typical Species *Euptychia Horæ*."
- " 16. *E. Clarissa* must give way to *Penelope*, Fabr., described in the 'Systema Entomologicæ.'
- " 17. For (*Euptychia divergens*) "p. 464. n. 14," read "p. 464. n. 15."
- " 33. Omit note after *E. Byssæ*, var. It was inserted in the M.S. before the type of *E. Necys* had been examined.
- " 107. *A. Morna*, Fabr. = *A. Philoctetes*, Linn. ♀.
- " 114. *L. arcuata*, Bull. = *L. Arctæ*, Cram. ♂, hitherto considered identical with *L. Europa*.
- " 138. *M. Hesione*, Cramer, must change places with *M. Medus*, Fabr., described in the 'Syst. Ent.'
- " 166. For *Geitoneura?* *Cordacæ* read *Heteronympha Cordacæ* (Hab. Melbourne).

CATALOGUE  
OF  
DIURNAL LEPIDOPTERA.

---

FAMILY SATYRIDÆ, *Westwood* (1851).

Genus 1. CÆROIS, *Hübner* (1816).

Typical Species *Cærois* (*Arcesilæ*) *Chorinæus*.

1. *Cærois Chorinæus*.

*Papilio Chorinæus*, *Fabricius*, *Syst. Ent.* p. 484 (1775).

*Arpidea Chorinæus*, *Duncan*, *Foreign Butterf.* p. 180, pl. 23 (1837).

*Cærois Chorinæus*, *Westwood* in *Gen. Diurn. Lepid.* p. 367. n. 1 (1851).

*Papilio Arcesilæus*, *Cramer*, *Pap. Exot.* iv. p. 11, pl. 294. figs. A-D (1782); *Stoll*, (transformations) pl. vi. (1787-91).

*Cærois Arcesilæ*, *Hübner*, *Verz. bek. Schmett.* p. 56. sp. 536 (1816).

Surinam (*Fabricius*), Ega, Tunantino.

B.M.

Genus 2. MELANITIS\*, *Fabricius* (1808).

Typical Species *Melanitis Leda*.

1. *Melanitis Leda*.

*Papilio Leda*, *Linnaeus*, *Syst. Nat.* ii. p. 773. n. 150 (1766).

*Oreas* (marmorata) *Leda*, *Hübner*, *Samml. exot. Schmett.* Band i. pl. 91. figs. 1-4 (1806-27).

\* *Melanitis* of the *Eurytelida* is the *Elymnias* of *Hübner*.