PUBLIC DOCUMENT NO. 57. ELEVENTH ANNUAL REPORT OF THE METROPOLITAN WATER AND SEWERAGE BOARD. FOR THE YEAR 1911; PP. 1-242

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649057900

Public Document No. 57. Eleventh Annual Report of the Metropolitan Water and Sewerage Board. For the Year 1911; pp. 1-242 by The State Board of Publication

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

THE STATE BOARD OF PUBLICATION

PUBLIC DOCUMENT NO. 57. ELEVENTH ANNUAL REPORT OF THE METROPOLITAN WATER AND SEWERAGE BOARD. FOR THE YEAR 1911; PP. 1-242



ELEVENTH ANNUAL REPORT

OF THE

When investi.

METROPOLITAN WATER AND SEWERAGE BOARD.

FOR THE YEAR 1911.



BOSTON:
WRIGHT & POTTER PRINTING CO., STATE PRINTERS,
18 Post Office Square.
1912.

Does - Curr Cleveland Pub Lib 1-24-31

CONTENTS.

																P	AGE
~	1.		on and Admi				10	8.5	(5)	(0.0	35	*3	88	*	3.0	3.0	1
$\sigma \sigma$			d, Officers an					•				* 3		•			1
+			es and Buildi			•	*11					+		•			3
•			an Water Die		•	. W.				-		*		+			•
	111.		an Water Wo						40		845	411	2.5				4
		(1) Wac	husett Power rovement of t	Plant,	1,000	*			*1	2.3	38		35	7.3			5
		(2) Imp	covement of t	ne water	meda,		•	*	*		*		*			•	
		(a) Dist	ribution Syst	em, .								•		•			ಿ
			Additional New Supply								•	•		•			6 7
			New Pump											9.5		+	7
			Supply of V								33		3	53	1.5		
			distion of Las								*	•	9.	· 33 -		•	7
	TV		ks Mainten			SOLUTION IN	IUT I	Danne	affec,		*			•		•	
	IV.		ation of Work			*			*		•	•		•	100	•	10
			ge Reservoire			900		906	***		4			60	304		10000
		(2) Aque			388	55.	10		2.0	0.2	•	•		10	100	*	10
^			ducts, . ributing Ress		9		•		20		•	•	*	*	*		12
(·		(e) Dista	ping Stations	ryone,		*				10	*		*		0.5	•	13 13
_			Lines, .		335	•	•		- 22	85	•	•	•			*	15
>			on Sewerage		8			*	*0	*	•			•		•	15
œ ≩			ection of the				•	*	700	83	5.7		*	* 1	3.5	•	16
U_		(e) From	Diversion of	Cardoon !	Dela.	٠.	2.	T-N-	·	10			•	•	32		16
																	16
		(0)	Improvement	le Wiltoneile	T Men	-	maw	a sue	u,	9.	*	8	*	133		*3	16
		(2)	Pegan Brook Marlborougi	Brook E	Sleam b	ada	•	•	•	34	*			*		*	17
			Sterling Filt							13			7	. 5	3	73	17
			Drainage D				•	•	* 1		*		•	•			17
			Sanitary In							14				•		•	17
			Laboratory							15			35	200	**	•	18
9			ity of the Wa								•		•	\$60		•	19
		(10) Form	stry and Mot	h Sunna	wion.	•					8		*	•			19
			rolysis, .								*		*	*	*	*	21
	V.	Water Worl	ks — Financis	l Statome	wat.	•	9.9		*11					•		•	21
=	18	(1) Moto	opolitan Wate	r Loone	Resolu		nd P			.35			35	133		•	22
ম		(2) Tame	of Metropol	itan Wate	e Los	Bo	nde.	ауш		**	•			10		8	23
2		(3) Metr	opolitan Wate	r Loan Si	inking	For	d.	-	-				(6)	100	35	3)	24
			al Assessmen							•			*	•	3		24
~			lying Water						of D	intri	et an	i to	Water	Con	mmen	les.	
			nditures for t														25
CO.			iled Financia				fetro	polit	an W	ster	Ant.	8	8	1 0	80	8	30
AUG			Expenditure									₹.	÷.	- 33		8	80
•			Receipts.				8			10		× 5	8	1	3		37
			Assets, .		8	55	÷.				•						39
		(4)	Liabilities.		8	33	1				•	8	÷.		3.5	8	39
	VI.	Metropolita	n Sewerage V	Vorks.		5.9				3	80	100	8		13		40
	3.400	(1) Nort	h Metropolite	n Sewers	ce Sve	tem	-0	onetr	petin	ο.					-	-	41
		(a)	East Boston	Pumping	Stati	on F	laten	sion			- 13		7.5		ŝ	23	41
		(6)	East Boston	Stable at	ad Lo	ker	Buile	ling.		-	3.5						43
			Malden and								(3)	62	88	100	12	500	40

***	Metropolita		VIII															AGE
¥1.	(2) South																	- 10
	(3) Aogu									uctio	n,	•				*	*	43
											7	100		*:			*	43
	(4) Nort	v werrobe	ontan	Oyı	item	— m	Lainte	nance	4	11.				*		*		44
	(a)	Sewers a	ma P	ımy	nng	Stat	ions,											44
		Siphone		•		1		100	250						20		. 3	45
	(c)	Tanneri	es and	G	datin	10 S.D	d Glu	e Wo	rka,								+	45
	(5) South	Metropo	litan	Эун	tem	— M	sinter	nance	v.		(*)	45.0	3.71	200	0.00		*0.	46
	Se	were and	Pump	ing	Sta	ione		•						. 3		2	-	46
VII.	Sewerage W	orka — F	Inanc	al I	State	men	rt.						54		1	-	- 33	47
	(1) Metr	politan S	Sowers	100	Losn	s, R	conipt	s and	Pa	men	18.	400	20.00		0		20	48
		North M										- 33	33	33			533	48
		South M						10	36	S	8					-	•	49
	(2) Issue							Bond		2	- 6	- 53	12	30	1350		-	50
		politan &								3		56	100			70	33	80
	(4) Annu															•		50
	(5) Anni								-	aren,	200	•	18	3	•		*3	51
	(6) Expe							35	*		•	*10		+				
	(7) Deta						TOTAS,		•		*	•	8.	5%		*	20	52
									•		*	51	3	•	•			84
		Expendi		anc	L L/M	our	emen	18,			(4)	4	0.0					54
		Receipts		•	•	2	*33	13	32			20	13			370	53	60
		Assots,		•			•	0.0				•						61
	(4)	Liabilità	96,	•			•							2.0			20	61
VIII.	Rainfall an	d Water	Suppl	у,			•	33			1	*3	4	33				61
	Consumpti						+	14			33							62
	Recommen					line:	620	68	20	0.090	040	40	200	360	00000	190	900	65
XI.	Future Wor	k, .	+	•			23	2					33					68
					-				-77	-8								
	rt of Chief E						€ 33	3×			10	800		(4)			•	70
G	eneral State	ment,	4									2						70
0	rganization,	. 8	or c		S0000		100	200	30.0	STATE	540	444	204	40	2260	200	200	70
C	onstruction,		•				23		99		2	23		49		536	200	72
	60-Inch Su	pply Mai	n from	n th	ie W	estor	Agu	educt									- 1	72
	New Supp						•		ė.	9.	326	100	86	100		-	- 60	76
	Pumping								20		8	- 33	8			90	313	77
	Extension							10										79
	Hydro-Ele						50	100	8	959		8	33	- 100	8	305	- 33	83
	Miscellane						10					•						87
					•		7.5	25			13	* 1		177		93	- 50	87
34	Engineeris aintenance.		•	ŝ			100	1	*	•		50		*		*		88
m				•			+::	204	•								*	88
	Rainfall a			•	•	9	13	200	*			10	10	25			*33	88
	Storage R			•	•		•	33				133	÷	*		3.5	•	
		mott Resc					*	33				23						89
		sett Dan						24_				*3	*	*			8	25.5
		nd Impr								bed,	4	413						91
		ency Sur					orcest	er,	20	358	(*)	100	11.5	100	100		533	91
		ry Reser				4	4					•	- 4				+ 1	92
	Frami	ngham R	COMPTV	okre	Nos.	1, 2	and :	3,				4					2	93
		id Reserv					•							+		1.0	80	93
	Hopki	nton Res	ervoir					82				200	82				1	94
	White	hall Reser	rvoir.				4.1	508			1.44	4.0	1.0					94
		Pond.		-			100	22			1	21			1			95
		Cochituat		33		1	(9)	35	85		33	137	33	100			13	95
	Works for	Diverting	e Surf	100	Dra	inse	e of C	ochit	unte	vin	see f	rom 1	ake	Cook	tuet	e to t	he	-
		bury Riv										449					400	96
	Sources fr	oury salv	Wate			. 9	neder .		M-		liter.	Die	riet 1			a kar	13	97
	Aqueduct		mate	n 46	w rus	po.	Phy (as cabe	me.	aupo	- Limit	Dia.	· see !		Men e	- AULI	•	97
	Machu		· -	•	•		*3					•		*	•	*		97
	wacht	mett,					• 1	1.4	4									

CONTENTS.

Report of Chief Engineer		ater	Wor	ks-	Conc	lude	d.									PAGE
Maintenance - Conclu																
Aqueducts — Conc																
Cochituate,	0000000 04		200	25			323	20			700	36	•30	334		99
Weston, .	. 4							4						+		99
Pumping Stations,																100
Pumping Stations, Chestnut Hill,																102
Spot Pond,			4.0	114						100	aner.			1.0		104
Arlington, . West Roxbury,		3	1				-	23	3				-			105
West Roxbury.	160	3		- 12			- 12	200	8	- 23			18			106
Consumption of W Metering of Sec	ster.		- 3	12		81	(1)			- 2				3.5		106
Metering of Sec	rvice	Pipe		號	85	3	- 3	- 83	88		8		- 25		- 33	108
Water Supplied out	tride	the l	Metr	onolit	an D	istri	ct.									109
Quality of the Wat										8	880	8	33	10	- 83	111
Senitary Inspection	ń.			152			0.0	- 50		- 20		8	- 25		- 93	113
Swamp Ditches an	d Be	noks.			00				95			90				118
Protection of the S	hook	e he	File	milon	189	5	1	25		- 39	88	3	- 38	į	- 33	118
Property	-wy gray	. ~,		******						**			50			119
Forestry, Distributing Reserv Weston Reserv	-		50	12	38	10.5		70	2	7.0		13	- 33	1	- 3	122
Wester Percent	nin.	300	10	10	7.0			•		•			- 69	3	•	122
Chartest Hill	Descri			•		•							***		•	122
Chestnut Hill Waban Hill Re	Trenet	*OIL			8.			53				*	*	į	*	123
Waban Hill Re	BETVU	er,						**				3	83		*	123
Forbes Hill Re Mystic Reserve	MCLAO	III M	ומ ואו	жиар	rbe,	2.	177	53	39	355			*	33	•	100
Mystic Reserve	our,	·						100	7	- 33	•	*		8	•	123 123
Mystic Lake at	na re	mp	mg c	UNIVERSE			(4)	400	24	-	13.		***			
Arlington Stan	apipe	в,	20	88			100	56	33	**		(3)	53	*	*	124
Spot Pond,				1.0	*3			1.					* 3	3.5		124
Fells and Bear	Hill	Rese	SEA.O.					•		٠			* 1	0.0	2	124
Pipe Yards, Pipe Lines, Metering of Water		•	•			•					39.	•	•	3	*	124
Pipe Lines, .	14.	3.		- 52				4					200	99		124
Metering of Water	to M	unici	palit	les,	*		323	50	20	*	100	25	20	0.2	20	126
								• 3				33	+			127
Electrolysis, .		1	* 5		+					20	10		4	11.2		127
Clinton Sewerage,						1		- 63	30		334			35.		128
Engineering, .	100		•	82	*	53	v		*	*	89	*		32	*6	130
Report of Chief Engineer of	et Gan	10.20	. W	nel												131
Leport of Chief Engineer o	n cer	recay	e m	Of Ba			•	***		75	1	-	200	3.7	3	131
Organization, Metropolitan Sewerage	Pol .	2	•		•			\$15	*	*			**		*	131
Metropontan Sewerage	LIBE	LIOLE					121	4.0							26.0	131
Areas and Populat Metropolitan Sewers,	ions,		•		*	•	1	*10	30	7.3		*		2.5		132
Metropolitan Sewers, Sewers purchased s	Same					in.			+	*:		*	*:	- 4		100
Bewers purchased s	and o	OTHER	ructe	d Ruc	ENG	ir (X	рпас	tions,	3	5.3	10	7	- 5	15		132
Cost of Construction Pumping Stations	on,	X.,			4			•		•			• 53		*	134
Pumping Stations	and i	um.	page		20					2.7		4	+	114	+	135
Construction, North Metropolita	42	(8)			*			•		3.0		100	100		20	136 136
North Metropolita	n Sys	tem,	Ø.,		•		(2)	•								136
									1	20		7.	+ /	•	+	136
Stable, and Lo Test of East B	oker	Build	ding,		•		+5	•	+			15	+			137
Test of East B	oston	Eng	ine,				-	2.5				+		14		137
Malden and Ev	verett	Den	er E	xtens	on,	0.00	0.00	40.0	22	390	605	(2)	#x2	•	*	141
Maintenance,		4		(A)				*12								143
																143
Capacity and Rest	alts,						4	100								148
Capacity and Rest North Metropo	ditan	Sys	tem,				4					3	200	÷	- 2	148
Deer Islan	d Pu	mple	E 20	ation,	ODES:		1.40	400	124	24.5	100		411	-	100	146
East Bosto	n Pu	mpl	ag Si	stion		5.0		11		4			33	10		147
East Bosto Charlestow	n Pu	mpi	ng Se	tation				216						2.0	- 13	148
Alewife Br	ook I	um	ping	Static	m.		0.0	10					0			149
Alewife Br South Metropo	litan	Syst	em.			3		33	10	drift	1883		\$2	•	1,5	150
Ward Stree	et Pur	mpir	u St	ation	10			400								150
Quincy Pu	mpir	g St	ation	١	188			100	1					33	-	151

CONTENTS.

Report of Cl	hief Engineer	of Sewers	ge Work	* C	onclu	ded.								PAG
	nes - Conclue													
	of Pumping.		585 - 60	94	4	19460		20	130		1941		\$20	. 15
Nort	h Metropolita	System,		- 10	4		Q.	377	3%	-				. 15
1	Orainage from	Tannerie	e, Gelati	ne and	Glu	e Wor	ks iz	Win	ches	ter, W	obur	n an	d Sto	ne-
	ham, .								14				41	. 150
South	h Metropolitar	System,	leann an		0.0000	0.00	140	*0.0	20	2000		040	400	. 15
8	ewage Lifting	Station a	t Hough	's Nec	k, Q	uincy		+	10					. 15
	outh Metropo	litan Out	alls, .	97					12				1	. 158
Mater	rial intercepte	d at the S	creens,					+	20				200	. 158
			700				-							
	. 1. — Contra			W	U4	W.		W-A				- 21-		2_
Appendix No		ear 1911,		metro	ропс	RTI WE	iter	WOTE	s illia	ue an	a pe	name	dur	. 161
Appendix No	. 2 Tables			intens	unce :	of the	Met	roco	litan	Wate	r Wo	rks.		. 167
	1 Monthl												r Wo	
	jn 191	п				N.						Ų.		. 167
Table No.	2 Rainfal	l in Inche	at Jeff	erson,	Mass	s., in	1911.				9	28	2	. 168
	3 Rainfa										2			. 166
	4 Rainfa											-		. 170
	5. — Rainfai												- 33	. 173
	6 Rainfa											9		. 173
	7 Yield o											re M	ile fr	
	1897 1	o 1911,			•						54	*		. 178
Table No.	8. — Yield o to 191					Gallor		Da	y per	Squ	re M	ile fr	om 1	
Table No.	9 Wachus											nfall	in 19	
	10. — Sudbur													
	11 Cochita													
	12. — Elevati		ster Sur	faces (of R		irs a	bove	Bot					
Table No.	13 Bouroes									as be		nwn.	for t	
		ly of the												
Table No.	14 Average													
	15. — Statem													
		on No. 1 f					়				95			. 186
Table No.	16. — Statem	ent of Op	eration (of Eng	gine	No. 2	at (Cher	tout	Hill	Pum	ping	Stati	on
Table No.	17 Statem	ent of Op	eration o	of Eng	dne l	No. 12	at	Ches		Hill	Pum	ping	Stati	. 187 lon
	No. S	for the 1	ear 1911								4		do	- 188
Table No.	18. — Stateme	ent of Ope on No. 2 f				Nos. 5	, B, s	and 7	at C	heetr	ut E	шР	umpl	ing . 180
Table No.	19. — Statem					o. 8 at	Spe	t Po	nd P	umpl	ng St	stion	for t	
	Year	1911, .				Section in				201 <u>2</u> 222				. 190
Table No.	20. — Statem	ent of Ope 1911, .		Engi	ne N	o. 9, a	t Spo	ot Po	nd P	umpi	ng St	ation	for t	he . 191
Table No.	21. — Statem		erstion of	Engi	ne N	o. 10 s	t Az	lingt	on P	umpi	ng St	ation	for t	
Table No.	22 Statem	ent of Ope	ration of				t Ar	lingt	on P	umpl	ng St	ation	for t	he
Table No.	23 (Meter		erage De	aily C	onsu	nptio		Wate	r in	Citles	and	Tow	124 ST	
Table No.	plied 24. — (Meter	by the M Basis) A						of W	ater	from	the	Low	-serv	. 194 ice
Table No.	Syste 25. — (Meter	m, . Basis) Av				nption		Water	from	n the	High	1-86F7	rice a	. 194 nd
		High-ser	vice Sys	tems,	angeren	Ş.,	34000	25601	(41)	-		400	-	. 195
2000 210.		politan W												. 196
Table No.	27 (Pump		onsumpt	ion of	Wat	er in	the	Meta	opoli	tan V	Vater	Dis		0.5
		1893 to 19			2.									. 196
Table No.	28. — Chemic			of Wat	er fre	m th	e Wa	chus	ott R	eserv	oir, (Clint	on.	. 201

CONTENTS.	vii
	PAGE
Appendix No. 2 Concluded.	
Table No. 29. — Chemical Examinations of Water from the Sudbury Reservoir,	202
Table No. 30. — Chemical Examinations of Water from Spot Pond, Stoneham,	203
Table No. 31. — Chemical Examinations of Water from Lake Cochituate,	204
Table No. 32. — Chemical Examinations of Water from a Tap at the State House, Boston,	205
Table No. 33. — Averages of Examinations of Water from Various Parts of the Metropolitan	
Water Works in 1911,	205
Table No. 34. — Chemical Examinations of Water from a Faucet in Boston, from 1892 to 1911,	207
Table No. 35. — Microscopic Organisms in Water from Various Parts of the Metropolitan Water Works, from 1898 to 1911, inclusive,	208
Table No. 36 Number of Bacteria per Cubic Centimeter in Water from Various Parts of the	
Metropolitan Water Works, from 1898 to 1911, inclusive,	210
Table No. 37. — Colors of Water from Various Parts of the Metropolitan Water Works in 1911,	211
Table No. 38. — Temperatures of Water from Various Parts of the Metropolitan Water Works in 1911,	211
Table No. 39 Temperatures of the Air at Three Stations on the Metropolitan Water Works	
in 1911,	212
Table No. 40 Table showing Length of Main Lines of Water Pipes and Connections owned	
and operated by Metropolitan Water and Sewerage Board, and Number of	
Valves set in Same, Dec. 81, 1911,	218
Table No. 41. — Statement of Cast-Iron Hydrant, Blow-off and Drain Pipes, owned and oper- ated by Metropolitan Water and Sewerage Board, Dec. 31, 1911,	214
Table No. 42. — Length of Water Pipes, Four Inches in Diameter and Larger, in the Several Cities and Towns supplied by the Metropolitan Water Works, Dec. 31, 1911,	215
Table No. 43. — Number of Service Pipes, Meters and Fire Hydrants in the Several Cities and Towns supplied by the Metropolitan Water Works,	216
Table No. 44. — Average Maximum Monthly Heights, in Feet, above Boston City Base, to which Water rose at Different Stations on the Metropolitan Water Works	
in 1911,	217
appendix No. 3. — Water Works Statistics for the Year 1911,	219
appendix No. 4. — Contracts relating to the Metropolitan Sewerage Works, made and pending	222
during the year 1911, appendix No. 5. — Financial Statement presented to the General Court on Jan. 10, 1912,	1000000
	227
appendix No. 6. — Legislation of the Year 1911 affecting the Metropolitan Water and Sewerage	232
Board,	202
LIST OF ILLUSTRATIONS.	
Vachusett Power Plant - Views of Four Hydraulic Turbines and Four Electric Generators,	
Veston Aqueduct Supply Main — 80-inch Cast-iron Pipe connected by Valve with 80-inch Con-	5
Veston Aqueduct Supply Main — Junction of 80-inch Concrete-covered Steel Pipe with 76-inch	7
	7
Concrete Main in Tunnel, last Boston Pumping Station as extended, with New Stable and Locker Building at Left,	41
Diagram showing Comparative amounts of Water collected in the different years on the Sudbury	31
and Wachusett Watersheds per square mile of Watershed.	62
Diagram showing Average Rate of Consumption of Water in the Metropolitan District in 1911	C.
	64
during the Entire Day and Between the Hours of I and 4 at Night, Diagram of Wachusett Dam, showing Section through Gate Chambers and Power Station,	20.00
	83
Diagram showing Average Rate of Consumption in Metropolitan Water District and Rainfall and Average Temperature of Air at Chestnut Hill Reservoir for Each Week during 1911.	100
Average a emperatore of Air at Constitute fills negerived for each week during 1911,	108

