

**REPORTS OF EXPLORATIONS AND
SURVEYS, TO ASCERTAIN THE MOST
PRACTICABLE AND ECONOMICAL
ROUTE FOR A RAILROAD FROM THE
MISSISSIPPI RIVER TO THE PACIFIC
OCEAN, GEOLOGICAL REPORT, PART II**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649691944

Reports of Explorations and Surveys, to Ascertain the Most Practicable and Economical Route
For a Railroad from the Mississippi River to the Pacific Ocean, Geological Report, Part II by
Thomas Antisell

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

THOMAS ANTISELL

**REPORTS OF EXPLORATIONS AND
SURVEYS, TO ASCERTAIN THE MOST
PRACTICABLE AND ECONOMICAL
ROUTE FOR A RAILROAD FROM THE
MISSISSIPPI RIVER TO THE PACIFIC
OCEAN, GEOLOGICAL REPORT, PART II**

PART II.

EXPLOIATIONS AND SURVEYS FOR A RAILROAD ROUTE FROM THE MISSISSIPPI RIVER TO THE PACIFIC OCEAN.
WAR DEPARTMENT.

ROUTES IN CALIFORNIA TO CONNECT WITH THE ROUTES NEAR THE THIRTY-FIFTH AND THIRTY-SECOND
PARALLELS, AND ROUTE NEAR THE THIRTY-SECOND PARALLEL, BETWEEN THE RIO GRANDE AND PIMAS
VILLAGES, EXPLORED BY LIEUTENANT JOHN G. PARKE, CORPS TOPOGRAPHICAL ENGINEERS, IN 1854
AND 1855.

GEOLOGICAL REPORT,

BY

THOMAS ANTISELL, M. D.,
GEOLOGIST OF THE EXPEDITION.

WASHINGTON, D. C.
1856.

CONTENTS.

CHAPTER I.

Physical Geography.

Extent of survey.—Of the coast mountains.—Erroneous notions of.—Parallel ranges.—Number of and geographical position.—Northern extension.—Depression across the line of strike at San Francisco.—Monte Diablo range.—Effect of the topography on commercial destiny.—Absence of navigable rivers.—Flow of the waters.—Outline of topography of the State in the south.—Climate independent of other lands.—Effect of mountains. No distinct winter season.—Rainy season.—Fall of rain.—Drought.—Earthquake movements, frequency of.—Elevation of coast range.—Geological period of.—Igneous rocks.—Different points of elevation.—Depression of fissures of the strata.—Resemblance of the orography to Mediterranean Europe.—Palaeozoic strata not discovered.—Of the miocene period on the Pacific. Uplheaval of the Sierra Nevada. Probable effect upon the level of the Great Basin.—Absence of polar drift.—Of the quaternary period.—Of the coast line of California.

CHAPTER II.

Geology of the Coast Ranges.

Two different axes in. Occasional blending of volcanic rocks.—Prevalence of felspathic rocks.—Age of the granites.—Different strike of granitic and volcanic rocks. Uniformity of elevation and deposit. Climatic conditions of the miocene period. Mode of elevation of the coast range. Grouping of the ranges.—Enumeration of the ranges, their direction and axial rock.—Extension of the ranges south into the sea.—Reappearance in the Channel Islands.—Examination of the coast soundings.—Connection of the fossils of the various strata with each other.—Disimilarity to European territories of the miocene age not necessarily coeval in distant oceans. Relation in fauna of the several beds of southern California.—Evidences of marine life and deposits.—Difficulty of reducing them to analogous Atlantic shore deposits.—Slight or doubtful development of palaeozoic beds south of 37° north latitude.

CHAPTER III.

Santa Clara valley and Pajaro River valley.

Position and boundaries of the Santa Clara valley.—Structure of the hills bounding the sides of the valley.—Subsoil and strata of the valley.—Artesian wells in.—Depth of the quaternary clays.—Climate and productions.—Fruit orchards.—Cereals.—Productiveness of the soil.—Cinnabar mine of New Almaden.—Position of the mine, village, and hacienda.—Geological relations of the ore.—Method of mining.—Quantity extracted.—Operations at the hacienda furnaces.—Mode of charging.—Unhealthiness of the operation arising chiefly from unskillfulness in the conducting of the processes.—Recommendations for remedying it.—Value of the shipments.—Pajaro valley.—Extent and character.—Geological structure.—San Benito river, terraces upon.

CHAPTER IV.

Salinas River valley.

Extent and position of the valley.—Gradual slope.—Character of the river.—Non-navigability.—Geological character of the valley.—Alluvial plain, with terraces or flats.—Natural vegetation and productiveness of.—Westerly winds in the south of the valley.—Effect upon the climate.—The Gavilan hills.—Structure and disposition.—Point Pinos range.—Intrusion of trap through the sandstone.—Metamorphic effects produced in.—Sandstones of the San Antonio hills.—Structure and fossils of.—Recapitulation and observations upon the geology.

CHAPTER V.

Santa Margarita valley.

Extent and limits of the valley.—Its beauty and fertility.—Geological structure.—Character of the granite.—Disturbed rocks.—Trap protrusions.—Stratified rocks of the valley.—Order of position and nature of the beds.—Nature of the fossils included.—Relative position of the fossils in the four beds.—Relation of position of the beds of this valley with those in the Salinas valley.—Summary of the observations on the valley.

CHAPTER VI.

Point Pinos mountains and Sierra San José.

Great extent of the range.—Different names.—Height.—Mineral structure at Point Pinos.—Relation of the serpentine to the granite.—Gold washing at San Antonio.—Sandstones at San Miguel mission.—Position of stratified beds in Salinas valley slope of this range.—Structure of the chain from west to east.—Strata along the slope in Santa Margarita valley.—Height and direction of the San José range.—Geological structure of.—Mineral character of the granites.—Sedimentary beds of.—Diagram of geological sections.—Thickness of the strata.—Position and character of the green conglomerates.—Relation of these to the fossiliferous beds, both of this range and elsewhere in the south of the State.

CHAPTER VII.

Santa Maria river and Cuyama valley.

The Santa Maria river.—Its length and direction.—Local ignorance of.—Effects of its passage through the Santa Lucia hills.—Limits of the river valley.—Character of the country between the upper waters of the Santa Maria and Tulare valley.—Porphyritic hills of Esleru plain.—Nature of the plain.—Strata on the east side of Cuyama valley.—Gypsiferous sandstones.—West side of the valley.—Down sandstones.—Structure of the Cuyama valley.—Terraces of.—Central islet.—Traces of denudation and littoral action.—Relative and absolute height of the terrace levels.

CHAPTER VIII.

Santa Lucia mountains.

Classification of the range.—Focallicity of the range in its axial rocks.—Absence of true granitic rock.—General elevation, increased height toward the south.—Different level of the valleys east and west of this range.—One to the width of the San José granite.—Serpentine and trap containing calcite.—Tufaceous deposit.—Metamorphic limestone.—Nature of the changes which elevated this range.—San Luis pass.—Volcanic rock occurring in.—Cañon of the Santa Maria.—Geological structure in.—Disposition of the mountain chain in lesser ridges.—Age of the sedimentary beds.—Are there palaeozoic beds in this range?

CHAPTER IX.

Valley of San Luis Obispo.

Topography of the valley slope and direction of the strata.—Effect of the disposition of the ranges upon the coast line and upon the climate.—Drainage of the valley.—Structure of the coast hills.—Number of the beds included under the asphaltic group.—Polythalamous beds.—Fossils of the group.—Probable geological age of this series.—Relation of position to the Santa Margarita valley.—Position of the group on Santa Maria river.—Geographical extent.—Variety in dip.—Alteration in beds subsequent to deposition.—Denudation.—Character of the valley proper.

CHAPTER X.

Santa Barbara mountains.

Situation and extent of this range.—Absence of primary rock.—Repetition of upnevals.—Secondary axes, their number and position.—Eastern limit of the range at San Buenaventura river.—Erroneous views put forth by recent writers.—The Santa Barbara mountains much more recent than San Bernardino.—Different position of the axes of this chain from that of the other coast ranges.—Granite of Matilija.—Volcanic rocks of the chain.—Amphibole and feldspathic.—Position of the

axial rocks found in the plain.—Position of serpentine as a massive rock.—Associated minerals.—Elevating power of the igneous rocks.—Beds of limonite.—Width of volcanic veins.—Sedimentary beds.—Different points of observation.—Classification of the strata.—Position of Camp 22.—Metamorphic rocks.—Dip of the sandstones.—Enumeration of the strata in the Santa Inez valley.—Gaviote pass.—Peculiar features of.—Elevated terrace of the Santa Barbara shore.—Geological structure of.—Enumeration of the strata on the south side of the range.—Probable thickness of the strata.—Foraminiferous and asphaltic beds along shore.—Deviation of the shore line.—Evidence of recent upheaval.—Upheaval of the strata east of town of Santa Barbara.—Point Rincon.—Analogy in structure with Questa San Marcus.—Position of strata along San Buenaventura river.—Sulphur spring and bitumen beds.—Terraced valley higher up.—Character of the district where the sources of the Buenaventura arise.—Of the fossils contained in the strata on the north side.—Of the fossils contained in the strata on the south side.—Relation of the beds on each side of the axis to each other, and to the Panza, Santa Margarita, and San Rafael strata.

CHAPTER XI.

Geology of the Sierra Susanna and Monica.

Geographical position of these ranges.—External form of the hills.—The two chains separated by Consejo pass and Seneca creek.—Analogy of the strata of the Sierra Susanna with those on the San Buenaventura at Matilija.—Connection of the range with the Cordilleras.—Sierra Monica.—Trappean rocks.—Slow disintegration.—Effects of.—Absence of timber.—Contrast of Seneca plain with the valleys of Encinas and Triumpho.—Trachytic upheaves.—Traces of two different volcanic forces.—Trachytic rocks and augitic trap.—Enumeration and order of the sedimentary beds.—Fossiliferous sandstones and limestones.—List of fossils.—Similarity of the Susanna and Monica ranges.—Occurrence of the asphaltic group in the latter range.—Extension into Los Angeles valley.—Thickness of the beds of that group.—Resumé of the structure of these beds.—Probable thickness of the sedimentary strata.

CHAPTER XII.

Plains of San Fernando, Los Angeles, and San Bernardino.

Position and extent of the alluvial plain at the base of the Cordilleras.—Subdivision.—Altitude of the plain.—Secondary valleys.—Variable fertility.—Vegetation of the upper plain.—Supply of water by rivers and sequoias.—Variety and beauty of the flora.—Grape culture.—Oranges.—Apples and peaches.—Number of vineyards in Los Angeles valley.—Manufacture of brandy.—Mode of cultivating the grape.—Stock supported by the valley.—Stock raised in California in 1855.—Increase of 1855.—Geological structure of the plain.—Different dip of the strata.—Quaternary deposits.—Artesian borings.—Nature of the soft beds.—Origin of the clays and gravel.—Absence of boulders and polar drift.—Boring in Sacramento valley.—Variable depths of beds above blue clay.—Length of periods of deposition.—Conditions of the plain during the deposit.—Partial denudation of the detritus.—Review of the deposit of quaternary clays.

CHAPTER XIII.

Geology of the Cordilleras.

Chain known by the name of Cordilleras.—Direction.—Repetitions of the chain.—Passes.—Character of the Cajon pass and San Geronimo.—Altitude of the passes.—Conglomerate of the slopes.—Strata in the Cajon pass.—Cause of the dip of the strata.—Different aspect of the Cordilleras viewed from the western and eastern sides.—Axial rocks of the Cordilleras.—Structure at Warner's and the Cajon.—The sedimentary strata on the west slope.—Period of elevation of the chain.—San Emilio Mountain.—Geology of the district surrounding.—The most elevated land in southern California.—Pern river.—Cañons of through granitic rock.—Segregation of minerals of the granite.—Cestek plain.—Sandstones of, conformable to the Cordilleras but not to the Sierra Nevada.—Relative modern appearance of the former range.—Continuity of San Emilio with Point Pinos range.—Radiation of the chains from San Emilio district.—Santa Barbara chain elevated independent of the Cordilleras.—Direction of the volcanic fissures of the coast ranges.