

**A COMPARISON OF
METHODS FOR DETERMINING
THE RESPIRATORY
EXCHANGE OF MAN**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649035984

A Comparison of Methods for Determining the Respiratory Exchange of Man by Thorne M. Carpenter

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

THORNE M. CARPENTER

**A COMPARISON OF
METHODS FOR DETERMINING
THE RESPIRATORY
EXCHANGE OF MAN**

A COMPARISON OF METHODS FOR DETERMINING
THE RESPIRATORY EXCHANGE OF MAN

BY

THORNE M. CARPENTER



WASHINGTON, D. C.
PUBLISHED BY THE CARNEGIE INSTITUTION OF WASHINGTON
1915

HARVARD UNIVERSITY
SCHOOL OF MEDICINE AND PUBLIC HEALTH
LIBRARY

16 APR 1936

Transferred from Harvard College Library

A 4.H.1915.3 - A

CARNEGIE INSTITUTION OF WASHINGTON
PUBLICATION No. 216

PRESS OF GIBSON BROTHERS, INC.
WASHINGTON, D. C.

CONTENTS.

PART I.		PAGE.
Introduction.....		9
Earlier comparisons of respiration apparatus.....		10
Apparatus and technique used in the present study.....		12
Bed respiration calorimeter.....		14
Benedict universal respiration apparatus.....		21
Tension-equalizer unit.....		21
General plan of apparatus.....		21
Description and use of parts.....		22
General routine of an experiment.....		33
Spirometer unit.....		34
General plan of apparatus.....		34
Description and use of parts.....		35
General routine of an experiment.....		45
Oxygen supply for the universal respiration apparatus.....		46
Zunts-Geppert method.....		53
Description and use of parts of apparatus.....		53
General routine of an experiment.....		60
Tissot method.....		61
Description and use of parts of apparatus.....		61
General routine of an experiment.....		66
Douglas method.....		67
Mueller valves.....		70
Haldane gas-analysis apparatus.....		70
Laboratory form.....		71
Description of parts.....		71
Method of use.....		74
Care of the apparatus.....		77
Testing the apparatus.....		78
Portable form.....		78
Hand spirometer.....		79
Apparatus for alcohol check-tests of the Tissot method.....		80
PART II.		
Comparisons of respiratory exchange as measured by different types of apparatus.....		83
Bed respiration calorimeter and Benedict respiration apparatus (tension-equalizer unit).....		85
Statistics of experiments.....		86
Discussion of results.....		91
Sources of error in experiments with the bed calorimeter.....		101
Sources of error in experiments with the Benedict respiration apparatus.....		104
Differences in the individual comparisons.....		107
The two types of the Benedict respiration apparatus (the tension-equalizer unit and the spirometer unit).....		111
Statistics of experiments.....		112
Discussion of results.....		113
Zunts-Geppert respiration apparatus and Benedict respiration apparatus (tension-equalizer unit).....		119
Statistics of experiments.....		120
Discussion of results.....		123
Zunts-Geppert respiration apparatus and Benedict respiration apparatus (spirometer unit).....		129
Statistics of experiments.....		129
Discussion of results.....		138
Tissot apparatus and Benedict respiration apparatus (tension-equalizer unit).....		144
Statistics of experiments.....		145
Discussion of results.....		146

	PAGE.
Comparison of respiratory exchange— <i>Continued.</i>	
Tissot apparatus and Benedict respiration apparatus (spirometer unit).....	150
Statistics of experiments.....	152
Discussion of results.....	154
Douglas respiration apparatus and Benedict respiration apparatus (spirometer unit).....	161
Statistics of experiments.....	162
Discussion of results.....	166
Mouth- and nose-breathing with the Benedict respiration apparatus (tension-equalizer unit).....	173
Statistics of experiments.....	173
Discussion of results.....	175
Mouth- and nose-breathing with the Benedict respiration apparatus (spirometer unit).....	179
Statistics of experiments.....	180
Discussion of results.....	181
Mouth- and nose-breathing with the Tissot apparatus.....	184
Statistics of experiments.....	185
Discussion of results.....	185
Mask and nosepieces with the Benedict respiration apparatus (spirometer unit).....	189
Statistics of experiments.....	189
Discussion of results.....	191
Glass and pneumatic nosepieces with the Benedict respiration apparatus (spirometer unit).....	193
Statistics of experiments.....	193
Discussion of results.....	194
Mueller valves and Tissot spirometer and the Benedict respiration apparatus (spirometer unit).....	195
Statistics of experiments.....	195
Discussion of results.....	196
Mueller valves and Tissot valves.....	200
Statistics of experiments.....	201
Discussion of results.....	202
Benedict respiration apparatus (spirometer unit) with and without additional dead space.....	206
Statistics of experiments with an increase in dead space of 45 c.c.....	207
Statistics of experiments with an increase in dead space of 90 c.c.....	209
Statistics of experiments with an increase in dead space of 135 c.c.....	210
Statistics of experiments with an increase in dead space of 224 c.c.....	213
Discussion of results.....	213
Tissot apparatus with and without automatic counterpoise on the spirometer bell.....	219
Statistics of experiments.....	220
Discussion of results.....	222
PART III.	
Critical discussion of respiration apparatus and their technique.....	227
Benedict universal respiration apparatus.....	227
Zunts-Geppert apparatus.....	234
Tissot apparatus.....	240
Douglas method.....	243
Valves.....	250
Breathing appliances.....	252
Pneumatic nosepieces.....	253
Glass nosepieces.....	254
Mouthpiece.....	255
Mask.....	256
Gas analysis.....	257
Accuracy and interpretation of results.....	260

ILLUSTRATIONS.

FIG.		PAGE.
1.	Bed respiration calorimeter.....	15
2.	Air-circuit and purifying arrangements of tension-equaliser unit.....	22
3.	Arrangement of Benedict respiration apparatus (tension-equaliser unit).....	22
4.	Pneumatic nosepiece.....	23
5.	Tension-equaliser with three-way valve and mouthpiece.....	25
6.	Carbon-dioxide absorber and accompanying water-absorber.....	27
7.	Moistener.....	29
8.	Apparatus used for tests of respiration apparatus with burning ether.....	31
9.	Schematic outline of ventilation system of spirometer unit.....	34
10.	Detailed plan of ventilation system in spirometer unit.....	35
11.	Cross-section of the three-way valve, ventilating pipe, and connection for mouthpiece and moistener.....	36
12.	Details of moistener and connection for nosepieces.....	37
13.	Details of spirometer, with recording attachments.....	38
14.	Specimen graphic record of respiration.....	40
15.	Bohr meter.....	41
16.	General view of the spirometer unit.....	41
17.	Specimen kymograph records in the calibration of the ventilation adder.....	45
18.	Mouthpieces and valves used in the Zunts-Geppert apparatus.....	54
19.	Most recent form of the Zunts valves.....	54
20.	Zunts-Geppert apparatus, showing Elster meter, automatic sampling device, and gas-analysis apparatus.....	56
21.	Caustic potash pipette used in the Zunts-Geppert analysis apparatus.....	58
22.	Absorption pipette used in the Zunts-Geppert analysis apparatus.....	58
23.	Nosepieces and valves used with the Tissot method.....	62
24.	Modified glass nosepieces.....	62
25.	Apparatus for registering the respiration-rate used with the Tissot method.....	63
26.	Tissot spirometer with capacity of 50 liters.....	64
27.	Tissot spirometer with capacity of 200 liters.....	64
28.	Apparatus for registering the volume of air in the Tissot spirometer.....	65
29.	Mica-flap valve used with the Douglas method.....	68
30.	Rubber-flap valve used with the Douglas method.....	69
31.	Musler valve.....	70
32.	Haldane gas-analysis apparatus (laboratory form).....	72
33.	Hand spirometer.....	79
34.	Apparatus used for alcohol check-tests of the Tissot method.....	80
35.	Type of respiration of subject H. F. T. as shown by chest pneumograph in the first period with the bed calorimeter on August 29, 1911.....	88
36.	Type of respiration of subject H. F. T. in the first period with the bed calorimeter on August 31, 1911.....	89
37.	Probability curves for the series of comparison experiments with the spirometer unit and the tension-equaliser unit.....	117
38.	Probability curves for the series of comparison experiments with the tension-equaliser unit and the Zunts-Geppert apparatus.....	128
39.	Types of respiration of subject H. F. T. in third and sixth periods with the spirometer unit on January 18, 1912.....	130
40.	Types of respiration of subject H. F. T. in first and second periods with the spirometer unit on January 30, 1912.....	131
41.	Types of respiration of subject F. F. J. in the seventh and eighth periods with the spirometer unit on February 7, 1912.....	133
42.	Probability curves for the series of comparison experiments with the spirometer unit and the Zunts-Geppert apparatus.....	143
43.	Probability curves for the series of comparison experiments with the tension-equaliser unit and the Tissot apparatus.....	151
44.	Probability curves for the series of comparison experiments with the spirometer unit and the Tissot apparatus.....	161

	PAGE.
FIG. 46. Types of respiration of subject M. J. S. at end of second and fourth periods with the spirometer unit on July 19, 1912.	165
46. Probability curves for the series of comparison experiments with the spirometer unit and the Douglas method.	172
47. Probability curves for the series of comparison experiments with nose- and mouth-breathing (tension-equaliser unit).	179
48. Probability curves for the series of comparison experiments with nose- and mouth-breathing (spirometer unit).	183
49. Probability curves for the series of comparison experiments with nose- and mouth-breathing (Tissot apparatus).	188
50. Types of respiration of subject L. E. E. as recorded from the spirometer bell in the second period on November 18, 1912.	190
51. Probability curves for the series of comparison experiments with nosepieces and mask (spirometer unit).	193
52. Types of respiration of subject W. J. T. as shown by the pneumograph in the first two periods with the Mueller valves and Tissot spirometer on March 29, 1913.	196
53. Type of respiration of subject W. J. T. as recorded from the spirometer bell in the second period with the spirometer unit on March 29, 1913.	196
54. Probability curves for the series of comparison experiments with the spirometer unit and the Mueller valves.	199
55. Type of respiration of subject J. H. H. in the fourth and fifth periods on April 18, 1913.	201
56. Probability curves for the series of comparison experiments with the Tissot valves and the Mueller valves.	205
57. Type of respiration of subject J. K. M. without additional dead space on September 20, 1912.	207
58. Type of respiration of subject J. K. M. with 45 c.c. additional dead space on September 20, 1912.	207
59. Type of respiration of subject W. F. O'H. in the third period with additional dead space on October 27, 1912.	208
60. Type of respiration of subject W. F. O'H. at the end of the third period without additional dead space on October 27, 1912.	208
61. Type of respiration of subject W. F. O'H. in the early part of the second period without additional dead space on October 27, 1912.	208
62. Type of respiration of subject W. F. O'H. at the beginning of the fourth period without additional dead space on October 27, 1912.	208
63. Type of respiration of subject J. W. F. in the second period with additional dead space on October 22, 1912.	209
64. Type of respiration of subject J. K. M. with 90 c.c. additional dead space on September 21, 1912.	209
65. Type of respiration of subject J. K. M. without additional dead space on September 21, 1912.	210
66. Type of respiration of subject T. M. C. without additional dead space on November 8, 1912.	211
67. Type of respiration of subject T. M. C. with 135 c.c. additional dead space on November 8, 1912.	211
68. Type of respiration of subject P. F. J. without additional dead space on November 7, 1912.	211
69. Type of respiration of subject P. F. J. with 135 c.c. additional dead space on November 7, 1912.	212
70. Type of respiration of subject J. B. T. with 224 c.c. additional dead space on December 7, 1912.	212
71. Type of respiration of subject J. B. T. without additional dead space on December 7, 1912.	213
72. Probability curves for the series of comparison experiments with and without additional dead space (spirometer unit).	219
73. Types of respiration of subject W. J. T. in second and third periods on March 1, 1913.	221
74. Probability curves for the series of comparison experiments with and without the counterpoise on the Tissot spirometer.	225

**A COMPARISON OF METHODS FOR DETERMINING
THE RESPIRATORY EXCHANGE OF MAN.**

BY THORNE M. CARPENTER.